

Bibliography: Surgical Fires and Operating Room Fires

Date span: **1949-2019 (Oct)**

Total citations: 579 (Literature citations: 562. Guidelines and Standards: 17 [at end of document].)

- There are 33 citations related to bowel gas (methane) ignition or bladder explosions from ignition by electrosurgery: indicated by **.
- The 5 references that address or discuss fires in the dental setting are highlighted in **blue**.

Compiled by:

Mark E. Bruley, CCE, FACCE, EIT

Vice president Emeritus, Accident and Forensic Investigation

ECRI Institute, 5200 Butler Pike, Plymouth Meeting, PA 19462 USA

Tel (mobile): +1 610-457-9889 E-mail: MarkEBruley@gmail.com or mbruley@ecri.org

Literature, Guidelines, and Standards

(Includes some medical textbooks citations)

[ABSTRACTS for most of the citations are available at the National Library of Medicine at: <http://www.ncbi.nlm.nih.gov/pubmed.>]

Guidelines and Standards —(Listed at the end of this document)

Literature Citations (Sorted by Year)

2019

1. Jones TS, Black IH, Robinson TN, Jones EL. Operating room fires, *Anesthesiology* 2019 Mar;130(3): 492–501. Available from Internet: <https://anesthesiology.pubs.asahq.org/article.aspx?articleid=2721200>.
2. Rodger D, Surgical fires-Still a burning issue in England and Wales, *J Perioperat Pract* 2019. [cited 29 Oct, 2019.] Available on Internet: first published on-line 16 September, 2019: <https://journals.sagepub.com/doi/10.1177/1750458919861906>. Full text at: https://www.researchgate.net/publication/335836265_Surgical_fires_Still_a_burning_issue_in_England_and_Wales
3. Parremore R. Introduction of the Surgical Site Fire Risk Assessment at The Lister Hospital, part of HCA Healthcare UK. *J Perioper Pract* 2019 May;29(5):122-128.
4. Sapundzhiev N R, Davidov G, Platikanov V, et al. (July 29, 2019) Anesthesia-related Safety Profile of a High-energy Ultrasonic Scalpel in Oropharyngeal and Laryngeal Surgery: An Ex Vivo Model. *Cureus* 11(7): e5266. DOI 10.7759/cureus.5266. [accessed Aug 18 2019]. Available from Internet: https://www.researchgate.net/publication/334751337_Anesthesia-related_Safety_Profile_of_a_High-energy_Ultrasonic_Scalpel_in_Oropharyngeal_and_Laryngeal_Surgery_An_Ex_Vivo_Model.

2018

5. Bruley ME, Arnold TV, Finley E, Deutsch ES, Treadwell RT. Surgical fires: decreasing incidence relies on continued prevention efforts. *PA Patient Saf Advis* 2018 Jun 15(2). [cited 2018 Jun 26]. Available from Internet: http://patientsafety.pa.gov/ADVISORIES/documents/201806_SurgicalFires.pdf.
6. Connor MA, Menke AM, Vrcek I, Shore JW. Operating room fires in periocular surgery. *International Ophthalmology* 2018;38 (3) 1085–1093.
7. Day AT, Rivera E, Farlow JL, Gourin CG, Nussenbaum B. Surgical Fires in Otolaryngology: A Systematic and Narrative Review. *Otolaryngol Head Neck Surg.* 2018 Apr;158(4):598-616. Epub 2018 Jan 23.
8. Sankaranarayanan G, Wooley L, Hogg D, Dorozhkin D, Olasky J, Chauhan S, Fleshman JW, De S, Daniel S, Jones DB. Immersive virtual reality-based training improves response in a simulated operating room fire scenario. *Surgical Endoscopy* 2018 Aug;32(8):3439–3449. Available from Internet: <https://link.springer.com/article/10.1007/s00464-018-6063-x>.
9. Tola DH, Jillson IA, Graling P. Surgical Fire Safety: An Ambulatory Surgical Center Quality Improvement Project. *AORN J.* 2018 Mar;107(3):335-344.
10. Vogel L. Surgical fires: nightmarish “never events” persist. *CMAJ* 2018 January 29;190:E120. Available from Internet: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5790565/pdf/190e120.pdf>

2017

11. Bruley ME. Challenges in Preventing Electrical, Thermal, and Radiation Injuries. In: Sanchez JA, Barach P, Johnson JK, Jacobs, JP, editors. *Surgical patient care: Improving safety, quality and value. Section III: Perioperative Quality and Patient Safety, Chapter 31.* New York: Springer Science+Business Media; 2017. Abstract available from Internet: https://rd.springer.com/chapter/10.1007/978-3-319-44010-1_31.
12. Connor MA, Menke AM, Vrcek I, Shore JW. Operating room fires in periocular surgery. *International Ophthalmology* 2018;38 (3) 1085–1093.
13. Dorozhkin D, Olasky J, Jones DB et al 2017 OR fire virtual training simulator: design and face validity. *Surgical Endoscopy* 2017;31(9):3527–3533.
14. Jones EL, Overbey DM, Chapman BC, Jones TS, Hilton SA, Moore JT, Robinson TN. Operating room fires and surgical skin preparation. *J Am Coll Surg.* 2017 Feb 9. [Epub ahead of print.] [cited 11 Apr, 2017.] Available from Internet: <https://www.ncbi.nlm.nih.gov/pubmed/28189662>.
15. King AB, Alvis BD, Hester D, Taylor S, Higgins M. Randomized trial of a novel double lumen nasopharyngeal catheter versus traditional nasal cannula during total intravenous anesthesia for gastrointestinal procedures. *J Clin Anesth.* 2017 May;38:52-56. Epub 2017 Jan 22. Abstract Available from Internet: <https://www.ncbi.nlm.nih.gov/pubmed/28372678>.

***A publication of ECRI Institute or by ECRI Institute staff.**

16. Maamari RN, Custer PL. Operating room fires in oculoplastic surgery. *Ophthal Plast Reconstr Surg*. 2017 Mar 3. [Epub ahead of print.] [cited 11 Feb, 2016.] Available from Internet: <https://www.ncbi.nlm.nih.gov/pubmed/28263248>.

2016

17. American Society of Anesthesiologists. A case report from the Anesthesia Incident Reporting System. *ASA Monitor* 2016 Feb;80(2):56-57. [cited 11 Feb, 2016.] Available from Internet: <http://monitor.pubs.asahq.org/article.aspx?articleid=2491230>.
18. Bosack RC, Bruley ME, VanCleave AM, Weaver JM. Patient fire during dental care: A case report and call for safety. *J Amer Dental Assoc* 2016 Aug;7(8): 661-6.
19. Choudhry AJ, Haddad NN, Khasawneh MA, Cullinane DC, Zielinski MD. Surgical fires and operative burns: lessons learned from a 33-year review of medical litigation .*The Amer J Surg* 2016 Dec; 213:(3) 558–564.
20. Fire in the Hole - An OR Fire. *AORN J* 2016 Jan;103(1):136. [cited 11 Feb, 2016.] Available from Internet: [http://www.aornjournal.org/article/S0001-2092\(15\)00898-4/fulltext](http://www.aornjournal.org/article/S0001-2092(15)00898-4/fulltext).
21. Kung TA, Kong SW, Aliu O, et al. Effects of vacuum suctioning and strategic drape tenting on oxygen concentration in a simulated surgical field. *J Clin Anesth*. 2016 Feb;28:56-61.
22. Sibia US, Connors K, Dyckman S, Zahiri HR, George I, Park AE, MacDonald JH. Potential Operating Room Fire Hazard of Bone Cement. *Am J Orthop* 2016 Nov/Dec;45(7):E512-E514. Available from Internet: https://pdfs.semanticscholar.org/c870/6f19795051ab5a4cccb43674cd5cf5bdb636.pdf?_ga=2.62054572.1241428711.1572379600-2016793238.1572379600.

2015

23. Akhtar N, Ansar F, Baig MS, Abbas A. Airway fires during surgery: Management and prevention. *J Anaesthesiology Clin Pharmacology* 2015 Dec;32(1):109-11. Available from Internet: https://www.researchgate.net/publication/299396579_Airway_fires_during_surgery_Management_and_prevention.
24. Berger ER, Greenberg CC, Bilimoria KY. Challenges in Reducing Surgical "Never Events". *JAMA* 2015 Oct 6;314(13):1386-7. [cited 11 Feb, 2016.] Available from Internet: <http://jama.jamanetwork.com/article.aspx?articleid=2449166>.
25. Bonnet A, Devienne M, De Broucker V, et al. Operating room fire: Should we mistrust alcoholic antiseptics? *Ann Chir Plast Esthet* 2015 Aug;60(4):255-61.
26. Chan CL, Frauenfelder CA, Foreman A. Surgical management of airway stenosis by radiofrequency coblation. *J Laryngol Otol* 2015 Jan;129 Suppl 1:S21-6.
27. ECRI Institute [Internet]. Plymouth Meeting: Surgical Fire Prevention. [cited 2015 Oct 12]. Available from Internet: www.ecri.org/surgical_fires.

***A publication of ECRI Institute or by ECRI Institute staff.**

28. Hempel S, Maggard-Gibbons M, et al. Wrong-site surgery, retained surgical items, and surgical fires: a systematic review of surgical never events. *JAMA* Aug 2015; 150(8):796-805. Abstract available: <https://www.ncbi.nlm.nih.gov/pubmed/26061125>.
29. Mehta SP, Domino KB. Fire in the Hole!—An OR Fire [Commentary]. *Web M&M* 2015 April. [cited 2015 June 2]. Available from Internet: <http://webmm.ahrq.gov/printviewCase.aspx?caseID=346>
30. Overbey DM, Townsend NT, Chapman BC, Bennett DT, Foley LS, Rau AS, Yi JA, Jones EL, Stiegmann GV, Robinson TN. Surgical Energy-Based Device Injuries and Fatalities Reported to the Food and Drug Administration. *J Am Coll Surg*. 2015 Jul;221(1):197-205.
31. Putnam K. Highlighting coordinated efforts to prevent surgical fires [editorial]. *AORN J*. 2015 Oct;102(4):P4. [cited 2016 Feb 12]. Available from Internet: [http://www.aornjournal.org/article/S0001-2092\(15\)00810-8/pdf](http://www.aornjournal.org/article/S0001-2092(15)00810-8/pdf).
32. Raghavan K, Lagisetty KH, Butler KL, et al. Intraoperative fires during emergent colon surgery. *Am Surg* 2015 Feb;81(2):E82-3.**
33. Roy S, Smith LP. Prevention of airway fires: testing the safety of endotracheal tubes and surgical devices in a mechanical model. *Am J Otolaryngol* 2015 Jan-Feb;36(1):63-6. [cited 2015 June 2]. Abstract Available from Internet: <http://www.ncbi.nlm.nih.gov/pubmed/25456513>
34. Roy S, Smith LP. Surgical fires in laser laryngeal surgery: are we safe enough? *Otolaryngol Head Neck Surg* 2015 Jan;152(1):67-72. [cited 2015 June 2]. Abstract Available from Internet: <http://www.ncbi.nlm.nih.gov/pubmed/25344591>
35. Seifert PC, Peterson E, Graham K. Crisis management of fire in the OR. *AORN J* 2015 Feb;101(2):250-63. [cited 2015 June 2]. Abstract Available from Internet: <http://www.ncbi.nlm.nih.gov/pubmed/25645041>.
36. Stewart MW, Bartley GB. Fires in the Operating Room: Prepare and Prevent. *Amer Acad Ophthalmology* 2015 (Mar);122(3):445-447. [cited 24 Jul, 2017.] Available from Internet: [http://www.aaojournal.org/article/S0161-6420\(14\)00828-8/fulltext#back-bib8](http://www.aaojournal.org/article/S0161-6420(14)00828-8/fulltext#back-bib8).
37. The Joint Commission. Monitoring OR fires to improve patient safety. *Bul Amer Coll Surgeons* 2015 May 1. [cited 2015 June 2]. Available from Internet: <http://bulletin.facs.org/2015/05/monitoring-or-fires-to-improve-patient-safety/>
38. Tan Z, Thong SY. Surgical fire caused by electrocautery in ambient air. *Proceedings of Singapore Healthcare* 2015;24(3):195–197. Available from Internet: <https://journals.sagepub.com/doi/pdf/10.1177/2010105815598459>.
39. Watanabe Y, Kurashima Y, Madani A, et al. Surgeons have knowledge gaps in the safe use of energy devices: a multicenter cross-sectional study. *Surg Endosc*. 2015 May 28. [Epub ahead of print]. [cited 2015 June 2]. Available from Internet: <http://www.ncbi.nlm.nih.gov/pubmed/26017912>

2014

***A publication of ECRI Institute or by ECRI Institute staff.**

40. Andrea M. VanCleave AM, Jones JE, McGlothlin JD, et al. The Effect of Intraoral Suction on Oxygen-Enriched Surgical Environments: A Mechanism for Reducing the Risk of Surgical Fires. *Anesth Prog* 2014 Winter; 61(4): 155–161. [cited 2015 June 2]. Available from Internet: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4269355/>
41. Bayne DR. Are you and your patients safe from a surgical fire? *ANZ J Surg* 2014 Dec;84(12):992.
42. Culp WC Jr, Kimbrough BA, Luna S, Maguundayao AJ. Operating Room Fire Prevention: Creating an Electrosurgical Unit Fire Safety Device. *Ann Surg*. 2014 Mar 25. [Epub ahead of print]
43. Culp WC Jr, Kimbrough BA, Luna S, Maguundayao AJ: Mitigating operating room fires: development of a carbon dioxide fire prevention device. *Anesth Analg*; 2014 Apr;118(4):772-5.
44. Feldman JM, Ehrenwerth J, Dutton RP. Thinking outside the triangle: a new approach to preventing surgical fires. [Editorial]. *Anesth Analg*. 2014 Apr;118(4):704-5.
45. Jones SB, Jones DB, Schwaitzberg S. Only you can prevent OR fires. *Ann Surg* 2014 Aug;260(2):218-9.
46. Kaye AD, Kolinsky D, Urman RD: Management of a fire in the operating room. *J Anesth*; 2014 Apr;28(2):279-87.
47. VanCleave AM, Jones JE, McGlothlin JD, Saxen MA, Sanders BJ, Walker LA. Factors involved in dental surgery fires: a review of the literature. *Anesth Prog*. 2014 Spring;61(1):21-5. [abstract available from Intenet: <http://www.anesthesiaprogress.org/doi/abs/10.2344/0003-3006-61.1.21>

2013

48. Abdulrasheed I, Lawal AM, Eneye AM. 2013 Surgical fires: an ongoing intra-operative challenge *Arch International Surg* 2013; 3 (1) 1–5. Available from Internet: http://www.archintsurg.org/temp/ArchIntSurg311-5261111_143651.pdf.
49. American College of Surgeons. Preventing surgical fires. *Bul Amer Coll Surgeons* 2013 Aug 1; [Epub]. [cited 2015 June 2]. Available from Internet: <http://bulletin.facs.org/2013/08/preventing-surgical-fires/>
50. American Society of Anesthesiologists Task Force on Operating Room Fires. Practice advisory for the prevention and management of operating room fires: an updated report. *Anesthesiology*. 2013 Feb;118(2):271-90.
51. Apfelbaum JL, Task Force on Operating Room Fires. Practice advisory for the prevention and management of operating room fires: an updated report by the American Society of Anesthesiologists Task Force on Operating Room Fires. *Anesthesiology*. 2013 Feb;118(2):271-90. PMID: 23287706.
52. Culp WC Jr, Kimbrough BA, Luna S. Flammability of surgical drapes and materials in varying concentrations of oxygen. *Anesthesiology*. 2013 Oct;119(4):770-6.
53. Eichhorn JH. A burning issue: preventing patient fires in the operating room. *Anesthesiology*. 2013 ct;119(4):749-51. [cited 2014 July 7]. Available from Internet: http://journals.lww.com/anesthesiology/Fulltext/2013/10000/A_Burning_Issue_Preventing_Patient_Fires_in_the

***A publication of ECRI Institute or by ECRI Institute staff.**

[.7.aspx](#)

54. Gorphe P, Sarfati B, Janot F, Bourgain JL, Motamed C, Blot F, Temam S. Airway fire during tracheostomy. *Eur Ann Otorhinolaryngol Head Neck Dis.* 2014 Jun;131(3):197-9.
55. Mehta SP, Bhananker SM, Posner KL, Domino KB. Operating Room Fires: A Closed Claims Analysis. *Anesthesiology* 2013; 118:1133-9.
56. Remz M, Luria I, Gravenstein M, Rice SD, et al. [Epub ahead of print]. Prevention of Airway Fires: Do Not Overlook the Expired Oxygen Concentration. [cited 2013 Jul 16]. Available from Internet: <http://www.ncbi.nlm.nih.gov/pubmed/23835452>.
57. Schroeck H, Healy DW. Airway laser procedures in children and the American Society of Anesthesiologists' Practice Advisory: a survey among pediatric anesthesiologists. *Int J Pediatr Otorhinolaryngol* 2014 Dec;78(12):2140-4. [cited 2015 June 2]. Abstract Available from Internet: <http://www.ncbi.nlm.nih.gov/pubmed/25441607>
58. Schroeder R. Using Best Practices to Respond to an OR Fire . *AORN J* 2013 Jun 97(6), 605ff.
59. Stuermer KJ, Ayachi S, Gostian AO, Beutner D, Hüttenbrink KB. Hazard of CO(2) laser-induced airway fire in laryngeal surgery: experimental data of contributing factors. *Eur Arch Otorhinolaryngol.* 2013 May 1. [Epub ahead of print]
60. Tao JP, Hirabayashi KE, Kim BT, Zhu FA, Joseph JM, Nunery W. The efficacy of a midfacial seal drape in reducing oculofacial surgical field fire risk. *Ophthal Plast Reconstr Surg.* 2013 Mar-Apr;29(2):109-12.
61. Wolf O, Weissman O, Harats M, Farber N, Stavrou D, Tessone A, Zilinsky I, Winkler E, Haik J: Birth wind and fire: raising awareness to operating room fires during delivery. *J Matern Fetal Neonatal Med;* 2013 Sep;26(13):1303-5.

2012

62. Arefiev K, Warycha M, Whiting D, Alam M. Flammability of topical preparations and surgical dressings in cutaneous and laser surgery: a controlled simulation study. *J Am Acad Dermatol.* 2012 Oct;67(4):700-5.
63. Clarke JR, Bruley ME. Surgical fires: Trends associated with prevention efforts. *Pennsylvania Patient Safety Advisory* 2012 Dec; 9(2): 130-5. [cited 2012 Dec 12]. Available from Internet: [http://patientsafetyauthority.org/ADVISORIES/AdvisoryLibrary/2012/Dec;9\(4\)/Pages/130.aspx](http://patientsafetyauthority.org/ADVISORIES/AdvisoryLibrary/2012/Dec;9(4)/Pages/130.aspx) *
64. Collarile T, et al. Fire ignition during laser surgery in pet rodents. *BMC Veterinary Research* 2012, 8:177. [cited 23 October, 2013.] Available from Internet: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3514373/pdf/1746-6148-8-177.pdf>
65. Crumière PP, Albaladejo R, De Saint Maurice G, Trabold F, Mc Nelis U, Boileau S, Bouaziz H; les membres du bureau de l'institut lorrain d'anesthésie et de réanimation (ILAR). [Patient associated fire in theatre: are we ready

***A publication of ECRI Institute or by ECRI Institute staff.**

- to prevent and/or manage it? Assessment of the anaesthetist's knowledge in Lorraine]. *Ann Fr Anesth Reanim.* 2012 Oct;31(10):773-7.
66. ECRI Institute. Top 10 Technology Hazards: Surgical fires. *Health Devices* 2012 Nov;41(11):364-365.*
67. Eichhorn JH. The Anesthesia Patient Safety Foundation at 25: A Pioneering Success in Safety, 25th Anniversary Provokes Reflection, Anticipation. *Anesth Analg.* 2012 Jan 16. [Epub ahead of print]. [cited 2012 Feb 28]. Available from Internet: <http://www.ncbi.nlm.nih.gov/pubmed/22253277>
68. Haith LR Jr, Santavasi W, Shapiro TK, Reigart CL, Patton ML, Guilday RE, Ackerman BH. Burn center management of operating room fire injuries. *J Burn Care Res.* 2012 Sep-Oct;33(5):649-53.
69. Li S, Chen L, Tan F. Laryngeal surgery using a CO2 laser: is a polyvinylchloride endotracheal tube safe? *Am J Otolaryngol.* 2012 Nov-Dec;33(6):714-7.
70. Rocos B, Donaldson LJ. Alcohol skin preparation causes surgical fires. *Ann R Coll Surg Engl* 2012; 94: 87–89. Available from Internet: https://www.researchgate.net/publication/221889019_Alcohol_skin_preparation_causes_surgical_fires.
71. Surgical Fire Injuries Continue to Occur. *APSF Newsletter* 2012 [Winter]; 26(3):41ff. [cited 2012 Mar 5]. Available from Internet: http://www.apsf.org/newsletters/pdf/winter_2012.pdf
72. Stoelting RK, Feldman JM, Cowles CE, Bruley ME. Surgical fire injuries continue to occur: prevention may require more cautious use of oxygen. *APSF Newsletter.* 2012;26:41, 43.*
73. **Weaver JM.** Prevention of fire in the dental chair. *Anesth Prog.* 2012 Fall;59(3):105-6.

2011

74. Berendzen JA, van Nes JB, Howard BC, Zite NB. Fire in labor and delivery: simulation case scenario. *Simul Healthc* 2011 Feb;6(1):55-61.
75. Corvetto MA, Hobbs GW, Taekman JM. Fire in the operating room. *Simul Healthc.* 2011 Dec;6(6):356-9.
76. Davies J, Griffith G. Preventing fires due to supplemental oxygen. *Anaesthesia* 2011 Apr;66(4):320-1.
77. Dennison DA. Scoring patients for fire risk adds to safety. *Nursing* 2011 Feb;41(2):67–8. Available from Internet: https://journals.lww.com/nursing/FullText/2011/02000/Scoring_patients_for_fire_risk_adds_to_safety.24.aspx.
78. ECRI Institute. Top 10 technology hazards: Surgical fires. *Health Devices* 2011 Nov;40(11):369-70.*
79. Hart SR, Yajnik A, Ashford J, et al. Operating room fire safety. *Ochsner J* 2011;11(1): 37-42. [cited Aug 24, 2015.] Available from Internet: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3096161/>
80. Hoshijima H, Takeuchi R, Sato E, Kikuchi H. [Accidental skin burns by fire of an antiseptic agent ignition by the spark of electric cautery]. *Masui.* 2010 Nov;59(11):1438-40. Japanese.

***A publication of ECRI Institute or by ECRI Institute staff.**

81. Kehoe B. Patient safety. Change the culture to prevent OR fires. *Hosp Health Netw.* 2011 Nov;85(11):17.
82. Roy S, Smith LP. What does it take to start an oropharyngeal fire? Oxygen requirements to start fires in the operating room. *Int J Pediatr Otorhinolaryngol* 2011 Feb;75(2):227-30. Schultz J. Pause for safety: someone's life is in your hands. *Nursing.* 2011 Oct;41(10):58.
83. Smith LP, Roy S. Operating room fires in otolaryngology: risk factors and prevention. *Am J Otolaryngol.* 2011 Mar-Apr;32(2):109-14. Epub 2010 Apr 13. Abstract Available from Internet: <https://www.ncbi.nlm.nih.gov/pubmed/20392535>.
84. Zahiri HR, Stromberg J, Skupsky H, Knepp EK, Folstein M, Silverman R, Singh D. Prevention of 3 "never events" in the operating room: fires, gossypiboma, and wrong-site surgery. *Surg Innov.* 2011 Mar;18(1):55-60.

2010

85. Barrett SL, Vella JM, Dellon AL. Historical development of bipolar coagulation. *Microsurgery.* 2010 Nov;30(8):667-9. doi: 10.1002/micr.20815. Epub 2010 Sep 14.
86. Bruder N, Delorme J, Bernardini S, Velly L. [Fire in the operating room!]. *Ann Fr Anesth Reanim.* 2010 Jun;29(6):498-9. Epub 2010 May 26. French.
87. Coumans T, Maissan IM, Wolff AP, Stolker RJ, Damen J, Scheffer GJ. [Fire by spontaneous combustion of oxygen cylinders]. *Ned Tijdschr Geneeskd.* 2010;154:A2137. Dutch.
88. Curran JN, McGuigan KG, O'Broin E. A case of deep burns, while diving The Lusitania. *J Plast Reconstr Aesthet Surg.* 2010 Jul;63(7):e579-81. Epub 2010 Jan 8.
89. Del Rosario E, Errando CL, García del Valle S. [Fire in the operating room: fact or fiction and what can we learn?]. *Rev Esp Anesthesiol Reanim.* 2010 Mar;57(3):133-5. Spanish.
90. Di Pierro GB, Besmer I, Hefermehl LJ, Beatrice J, Danuser H, Beutler J, Mattei A. Intra-abdominal fire due to insufflating oxygen instead of carbon dioxide during robot-assisted radical prostatectomy: case report and literature review. *Eur Urol.* 2010 Oct;58(4):626-8. Epub 2010 Aug 4. Review.
91. ECRI Institute. Top 10 technology hazards: Surgical fires. *Health Devices* 2010 Nov;39(11):396-7.*
92. Friedrich M, Tirilomis T, Schmitto JD, Popov AF, Mokashi SA, Hinterthaler M, Hanekop GG, Zwaka P, Schoendube FA. Intrathoracic fire during preparation of the left internal thoracic artery for coronary artery bypass grafting. *J Cardiothorac Surg.* 2010 Mar 10;5:10.
93. García-Sánchez MJ, Pérez-Rodríguez JF, Herrero-Manzano R. [Endotracheal tube fire during laryngeal surgery: analysis of the root cause of a sentinel event]. *Rev Esp Anesthesiol Reanim.* 2010 Mar;57(3):173-6. Spanish.
94. Laudanski K, Schwab WK, Bakuzonis CW, Paulus DA. Thermal damage of the humidified ventilator circuit in the operating room: an analysis of plausible causes. *Anesth Analg.* 2010 Dec;111(6):1433-6. Epub 2010 Oct 1.
95. Matt BH, Cottee LA. Reducing risk of fire in the operating room using coblation technology. *Otolaryngol Head*

***A publication of ECRI Institute or by ECRI Institute staff.**

- Neck Surg. 2010 Sep;143(3):454-5.
96. Nishiyama K, Komori M, Kodaka M, Tomizawa Y. Crisis in the operating room: fires, explosions and electrical accidents. *J Artif Organs*. 2010 Sep;13(3):129-33. Epub 2010 Aug 14
97. Patel R, Chavda KD, Hukkeri S. Surgical field fire and skin burns caused by alcohol-based skin preparation. *J Emerg Trauma Shock* 2010 Jul;3(3):305.
98. Ramos Curado P, Reina Molina M. [Fire in the operating room during a cesarean section]. *Rev Esp Anesthesiol Reanim*. 2010 Mar;57(3):185-6. Spanish.
99. Saha K, Atallah S, Slater R. Fire risk during eye surgery. *Anaesthesia* 2010 Oct;65(10):1046-7. [Comment in *Anaesthesia* 2011 Apr;66(4):320-1.]
100. Seltzer JA. Flammable prep agents. *AORN J*. 2010 Jul;92(1):6; author reply 6.
101. Sheinbein DS, Loeb RG. Laser surgery and fire hazards in ear, nose, and throat surgeries. *Anesthesiol Clin*. 2010 Sep;28(3):485-96.
102. Watson DS. New recommendations for prevention of surgical fires. *AORN J* 2010 Apr;91(4):463-9.
103. Yardley IE, Donaldson LJ. Surgical fires, a clear and present danger. *Surgeon*. 2010 Apr;8(2):87-92. Epub 2010 Feb 18. Review.
104. Zahiri HR, Stromberg J, Skupsky H, Knepp EK, Folstein M, Silverman R, Singh D. Prevention of 3 "never events" in the operating room: fires, gossypiboma, and wrong-site surgery. *Surg Innov*. 2011 Mar;18(1):55-60.

2009

105. Bruley ME. Head and neck surgical fires. In: Eisele DW, Smith RV eds. *Complications of Head and Neck Surgery, 2nd Edition*. Philadelphia: Mosby (an imprint of Elsevier), 2009.*
106. ECRI Institute. New clinical guide to surgical fire prevention [guidance article]. *Health Devices* 2009 Oct;38(10): 314-332.*
107. ECRI Institute. Only you can prevent surgical fires [poster]. *Health Devices* 2009 Oct;38(10): 319. Also Available from Internet: http://www.ecri.org/surgical_fires.*
108. ECRI Institute. Emergency procedure: extinguishing a surgical fire [poster]. *Health Devices* 2009 Oct;38(10): 330. Also Available from Internet: http://www.ecri.org/surgical_fires.*
109. ECRI Institute. Top 10 technology hazards: Surgical fires. *Health Devices* 2009 Nov;38(11):367.*
110. ECRI Institute. Reducing the risk of burns from surgical light sources [hazard report]. *Health Devices*. 2009 Sep;38(9):304-5.*
111. Herman MA, Laudanski K, Berger J. Surgical Fire During Organ Procurement. *The Internet Journal of Anesthesiology* 2009;19(1). [cited 23 Feb, 2009]. Available from Internet:

***A publication of ECRI Institute or by ECRI Institute staff.**

<http://www.ispub.com/ostia/index.php?xmlFilePath=journals/ija/vol19n1/fire.xml>.

112. Groudine SB, Turinsky A. Oxygen administration during carotid endarterectomy. *Anesth Analg*. 2009 May;108(5):1713; author reply 1714.
113. Haeck PC, Swanson JA, Iverson RE, Lynch DJ, ASPS Patient Safety Committee. Evidence-based patient safety advisory: patient assessment and prevention of pulmonary side effects in surgery. Part 2--patient and procedural risk factors. *Plast Reconstr Surg* 2009 Oct;124(4 Suppl):57S-67S.
114. Joint Commission. 2009 National Patient Safety Goals: Ambulatory Care Program [online]. 2009 [cited 2009 Feb 25]. Available from Internet:
http://www.jointcommission.org/PatientSafety/NationalPatientSafetyGoals/09_amb_npsgs.htm and
http://www.jointcommission.org/NR/rdonlyres/979098FA-74FD-4F25-AF41-EDD48FBD300E/0/AHC_NPSG.pdf
115. Joint Commission. National Patient Safety Goals 2005–2009 [online]. [cited 2009 May 1]. Available from Internet: http://www.jointcommission.org/GeneralPublic/NPSG/gp_npsg.htm.
116. Komatsu T, Kaji R, Okazaki S, Miyawaki I, Ishihara K, Takahashi Y. Endotracheal tube ignition during the intratracheal laser treatment. *Asian Cardiovasc Thorac Ann*. 2008 Dec;16(6):e49-51.
117. Ladas SD, Karamanolis G, et al. Colonic gas explosion during therapeutic colonoscopy with electrocautery. *World J Gastroenterol* 2007 October 28; 13(40): 5295-5298. Act Available from Internet:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4171316/pdf/WJG-13-5295.pdf> **
118. Moskowitz M. Fire in the operating room during open heart surgery: a case report. *AANA J*. 2009 Aug;77(4):261-4.
119. Ogg M. Safety of petroleum-based eye lubricants. *AORN J*. 2009 May;89(5):909-10.
120. Pollock H. Operating room fires. *Plast Reconstr Surg*. 2009 Jan;123(1):431; author reply 431-2.
121. Roy S, Smith LP. Device-related risk of fire in oropharyngeal surgery: a mechanical model. *Am J Otolaryngol*. 2010 Sep-Oct;31(5):356-9. Epub 2009 Jul 3.
122. Seth AK, Kapoor N, Puri P. Colonic explosion with use of argon plasma coagulation for radiation proctitis. *Indian J Gastroenterol*. 2009 May-Jun;28(3):118-9.**
123. Smith SJ, Thomas A, Ashpole RD. Intra-operative combustion of Onyx embolic material. *Br J Neurosurg*. 2009 Feb;23(1):76-8.
124. Sweeney C. Laser safety in dentistry. *Gen Dent*. 2008 Nov-Dec;56(7):653-9; quiz 660-1, 767.
125. Villarroya González A, Longás Valián J, Vicente Armijo JJ, Cuartero Lobera J. [Orotracheal tube ignited by an electrocautery device during tracheostomy] [Spanish] *Rev Esp Anesthesiol Reanim*. 2009 Jan;56(1):47-9.
126. Watson DS. Surgical fires: 100% preventable, still a problem. *AORN J*. 2009 Oct;90(4):589-93.
127. Wan GL, Sun JW. Peri- and post-operative complications after carbon dioxide laser surgery of the larynx. *Saudi*

*A publication of ECRI Institute or by ECRI Institute staff.

Med J. 2009 Oct;30(10):1281-5.

128. Zheng G, Gravenstein N. Warning: increased risk of surgical fire. *Anesth Analg*. 2009 May;108(5):1713; author reply 1714.

2008

129. Cantrel S. Fanning the flames of surgical fire prevention. *Healthcare Purch News* 2008 (May);31(1):26-28.

130. Batra S, Gupta R. Alcohol based surgical prep solution and the risk of fire in the operating room: a case report. *Patient Saf Surg*. 2008 Apr 26;2:10.

131. Desai MS. Office-based anesthesia: new frontiers, better outcomes, and emphasis on safety. *Curr Opin Anaesthesiol*. 2008 Dec;21(6):699-703. Review.

132. Dhar V, Young K, Nouraei SA, Sandhu GS, et al. Impact of oxygen concentration and laser power on occurrence of intraluminal fires during shared-airway surgery: an investigation. *J Laryngol Otol*. 2008 Dec;122(12):1335-8. Epub 2008 Jun 25.

133. ECRI Institute. Prevent surgical boom fires with routine maintenance. *Health Devices*. 2008 Jan;37(1):24-6.*

134. ECRI Institute. Top 10 technology hazards: Surgical fires. *Health Devices* 2008 Nov;37(11):347. *

135. Ersek RA. Flash fires during facial surgery. *Plast Reconstr Surg*. 2008 Jan;121(1):346; author reply 346-7. Corrected and republished in: *Plast Reconstr Surg*. 2008 Feb;121(2):706-7; author reply 707.

136. Joint Commission Resources. *Staff education tools for the 2009 national patient safety goals*. Oakbrook: Joint Commission Resources; 2008.

137. Kalkman CJ, Romijn C, van Rheineck Leyssius AT. [Fire and explosion hazard during oxygen use in operating rooms.] *Ned Tijdschr Geneesk*. 2008 Jun 7;152(23):1313-6. Dutch.

138. Kuczkowski KM. Anesthesia machine as a cause of intraoperative "code red" in the labor and delivery suite. *Arch Gynecol Obstet*. 2008 Nov;278(5):477-8. Epub 2008 Mar 12.

139. McCord DE, Newton BE, Fore J, Chiffolleau G The selection of skin care products for use in hyperbaric chamber may depend on flammability acceptability indices score. *Adv Skin Wound Care*. 2008 Feb;21(2):79-84.

140. MI: Spark ignited oxygen fire during surgery: CRNA settled--anesthesiologist prevailed. *Nurs Law Regan Rep*. 2008 Apr;48(11):3. [cited 2008, July 29] Available from Internet:

<http://www.thefreelibrary.com/MI:+spark+ignited+oxygen+fire+during+surgery:+CRNA...-a0178713110>

141. Mosing M, Iff I, Moens Y. Endoscopic removal of a bronchial carcinoma in a dog using one-lung ventilation. *Vet Surg*. 2008 Apr;37(3):222-5.

142. Naftali M, Jabaly-Habib H, Mukari A. Burn during a routine pterygium excision operation. *Eur J Ophthalmol*. 2008 Jul-Aug;18(4):639-40.

***A publication of ECRI Institute or by ECRI Institute staff.**

143. Rincón DA, Valero JF. [Supplemental oxygen for the prevention of postoperative nausea and vomiting: a meta-analysis of randomized clinical trials]. (Spanish) *Rev Esp Anesthesiol Reanim*. 2008 Feb;55(2):101-9. Review. Abstract Available from Internet: <https://www.ncbi.nlm.nih.gov/pubmed/18383972>.
144. Rinder CS. Fire safety in the operating room. *Curr Opin Anaesthesiol*. 2008 Dec;21(6):790-5. Review.
145. Rosenfield L. Flash fires during facial surgery: reply. *Plast Reconstr Surg*. 2008 Feb;121(2):706-7; author reply 707.
146. Shapiro FE. Anesthesia for outpatient cosmetic surgery. *Curr Opin Anaesthesiol*. 2008 Dec;21(6):704-10. Review.
147. Smith LP, Roy S. Fire/burn risk with electrosurgical devices and endoscopy fiberoptic cables. *Am J Otolaryngol*. 2008 May-Jun;29(3):171-6. Epub 2008 Mar 17.
148. Szentgyörgyi L, Leny A, Tamás E, Péterffy A. Intraoperative fires caused by alcoholic skin antiseptic and diathermy. *Magy Seb*. 2008 May;61:71-3. [Hungarian]

2007

149. Assael LA.. The need for national patient safety goals for ambulatory oral and maxillofacial surgery. *J Oral Maxillofac Surg*. 2007 Jan;65(1):1-2.
150. Cady RF. Operating room fires: the CRNA and the deposition. *AANA J*. 2007 Feb;75(1):9-11.
151. ECRI Institute. Top 10 technology hazards: Surgical fires. *Health Devices* 2007 Nov;36(11):350-1.*
152. Department of Health and Human Services, Centers for Medicare & Medicaid Services: Center for Medicaid and State Operations/Survey and Certification Group. Use of alcohol-based skin preparations in anesthetizing locations (ref: S&C-07-11). January 12, 2007. [cited 2009 Feb 25]. Available from Internet: <http://www.cms.hhs.gov/SurveyCertificationGenInfo/downloads/SCLetter07-11.pdf>.
153. Ho AM, Wan S, Karmakar MK. Flooding with carbon dioxide prevents airway fire induced by diathermy during open tracheostomy. *J Trauma*. 2007 Jul;63(1):228-31.
154. Mahajan R, Gupta R, Sharma A. Preventing airway fires during tracheostomy. *Acta Anaesthesiol Scand*. 2007 Nov;51(10):1406.
155. Meneghetti SC, Morgan MM, Fritz J, Borkowski RG, Djohan R, Zins JE. Operating room fires: optimizing safety. *Plast Reconstr Surg*. 2007 Nov;120(6):1701-8.
156. Pennsylvania Patient Safety Authority. Three “never complications of surgery” are hardly that. *Patient Safety Advisory* 2007 Sep;4(3):82. [cited 2012 May 20]. Available from Internet: [http://patientsafetyauthority.org/ADVISORIES/AdvisoryLibrary/2007/sep4\(3\)/Pages/82.aspx](http://patientsafetyauthority.org/ADVISORIES/AdvisoryLibrary/2007/sep4(3)/Pages/82.aspx)
157. Pennsylvania Patient Safety Authority. Airway fires during surgery. *PA-PSRS Patient Safety Advisory* 2007 (Mar); 4(1):1, 4-6. [cited 2009 Mar 2]. Available from Internet:

***A publication of ECRI Institute or by ECRI Institute staff.**

[http://patientsafetyauthority.org/ADVISORIES/AdvisoryLibrary/2007/mar4\(1\)/Pages/01b.aspx](http://patientsafetyauthority.org/ADVISORIES/AdvisoryLibrary/2007/mar4(1)/Pages/01b.aspx)

158. Pennsylvania Patient Safety Authority. Airway fires during surgery [Poster]. *PA-PSRS Patient Safety Advisory* 2007 (Mar); 4(1):1, 4-6. [cited 2012 May 20]. Available from Internet:
http://patientsafetyauthority.org/EducationalTools/PatientSafetyTools/airway_fires/Documents/airwayfires_poster.pdf.
159. Pennsylvania Patient Safety Authority. Electrosurgical units and the risk of fires. *PA-PSRS Patient Safety Advisory* 2004 (Sep); 1(3):1, 4-6.
160. Pennsylvania Patient Safety Authority. Risk of Fire from Alcohol-Based Solutions. *PA-PSRS Patient Safety Advisory* 2005 (Jun); 2(2):1, 4-6. [cited 2012 May 20]. Available from Internet:
[http://www.patientsafetyauthority.org/ADVISORIES/AdvisoryLibrary/2005/jun2\(2\)/Documents/13.pdf](http://www.patientsafetyauthority.org/ADVISORIES/AdvisoryLibrary/2005/jun2(2)/Documents/13.pdf)
161. Niskanen M, Purhonen S, Koljonen V, Ronkainen A, Hirvonen E. Fatal inhalation injury caused by airway fire during tracheostomy. *Acta Anaesthesiol Scand*. 2007. Apr;51(4):509-13
162. Prado A, Andrades P, Fuentes P. Fire in the operating room after reading a CME. *Plast Reconstr Surg*. 2007 Feb;119(2):770-3.
163. Rosenfield LK, Chang DS. Flash fires during facial surgery: recommendations for the safe delivery of oxygen. *Plast Reconstr Surg*. 2007 May;119(6):1982-3.
164. Torner N. Organizations collaborate to prevent surgical fires. *Mater Manag Health Care*. 2007 Feb;16(2):42-3.
165. Townshend AP, Goddard WP, Cid JA. Bowel perforation requiring emergency laparotomy and a Hartmann's procedure after a gas explosion induced by argon plasma coagulation. *Endoscopy*. 2007 Feb;39 Suppl 1:E1. Epub 2007 Feb 7. **

2006

166. Albataineh J, Salem Y, Jaffar M. Preventing operating room fire: an alternate approach. *Anesth Analg* 2006 Oct;103(4):1051-2.
167. Graling PR. Fighting fire with fire safety. *AORN J*. 2006 Oct;84(4):561-3.
168. Beesley J, Taylor L. Reducing the risk of surgical fires: are you assessing the risk? *J Perioper Pract*. 2006 Dec;16(12):591-7.
169. Best practices for fire prevention in perioperative settings. *AORN J* 2006 Jul;84(Suppl 1):S37-44.
170. Bhananker SM, Posner KL, Cheney FW, Caplan RA, Lee LA, Domino KB. Injury and liability associated with monitored anesthesia care: a closed claims analysis. *Anesthesiology*. 2006 Feb;104(2):228-34.
171. Bucsi, R. Closed claim study: Fire In The Operating Room. *Ophtal Risk Mgmt Dig* 2006;16(3):7.
172. Dini GM, Casagrande W. Misfortune during a blepharoplasty. *Plast Reconstr Surg* 2006 Jan;117(1):325-6.
173. Goldberg J. Brief laboratory report: surgical drape flammability. *AANA J*. 2006 Oct;74(5):352-4.

***A publication of ECRI Institute or by ECRI Institute staff.**

174. Juri O, Frochoux D, Rajan GP, Biro P. [Ignition and burning of biological tissue under simulated CO₂-laser surgery conditions.] *Anaesthetist*. 2006 May;55(5):541-6. German. English abstract available from Internet: http://www.unboundmedicine.com/medline/citation/16432741/%5bIgnition_and_burning_of_biological_tissue_under_simulated_CO2_laser_surgery_conditions%5d
175. Kaddoum RN, Chidiac EJ, Zestos MM, Ahmed Z. Electrocautery-induced fire during adenotonsillectomy: report of two cases. *J Clin Anesth* 2006 Mar;18(2):129-31.
176. Loeb RG. Supplying sub-100% oxygen gas mixtures during monitored anesthesia care: respiratory monitoring and use of a venturi device. *Anesth Analg*. 2006 Oct;103(4):1048; author reply 1048.
177. Mathias JM. Scoring fire risk for surgical patients. *OR Manager* 2006; 22(1):19-20.
178. Menke, AM. Preventing and Managing Surgical Fires. *Ophtal Risk Mgmt Dig* 2006;16(3):8.
179. Prasad R, Quezado Z, St. Andre A. Fires in the operating room and intensive care unit: awareness is the key to prevention. *Anesth Analg* 2006 Jan;102(1):172-4.
180. Sosis MB. Anesthesiologists must do a better job of preventing operating room fires. *J Clin Anesth* 2006 Mar;18(2):81-2.
181. ECRI Institute. Surgical fire safety [Guidance article]. *Health Devices* 2006;35(2):45-66.*
182. Tykocinski M, Thomson P, Hooper R. Airway fire during tracheotomy. *ANZ J Surg* 2006 Mar;76(3):195-7.
183. Wang HM, Lee KW, Tsai CJ, Lu IC, Kuo WR. Tracheostomy tube ignition during microlaryngeal surgery using diode laser: a case report. *Kaohsiung J Med Sci*. 2006 Apr;22(4):199-202.
184. Weber SM, Hargunani CA, Wax MK. DuraPrep and the risk of fire during tracheostomy. *Head Neck*. 2006 Jul;28(7):649-52.
185. Williams DM, Littwin S, Patterson AJ, Brock-Utne JG. Fiberoptic light source-induced surgical fires -- the contribution of forced-air warming blankets. *Acta Anaesthesiol Scand* 2006 Apr;50(4):505-8.

2005

186. Americal Society for Hospital Engineering. NFPA accepts ASHE's amendment to NFPA 99 on Alcohol Based Surgical Prep Solutions 2005, August 8 [cited 2005, Dec 6]. Available from Internet: http://www.ashe.org/ashe/codes/nfpa/nfpa099_proposeamend_ahsp.html.
187. Americal Society for Hospital Engineering. ASHE Proposes Amendment to NFPA 99 for Safe Usage of Alcohol Based Surgical Prep Solutions, suggests hospitals cited by CMS consider requesting a waiver. 2005 [cited 2005, Dec 6]. Available from Internet: http://www.ashe.org/ashe/codes/nfpa/pdfs/nfpa099_backgroundsurgicalprep_050810.pdf Conn AW. Practical policy for non-explosive anaesthesia. *Can Anaesth Soc J*. 1968 Jul;15(4):378-82.

*A publication of ECRI Institute or by ECRI Institute staff.

189. Association of periOperative Registered Nurses. AORN guidance statement: Fire prevention in the operating room. *AORN J* 2005 May;81(5):1067-75.
190. Daane SP, Toth BA. Fire in the operating room: principles and prevention. *Plast Reconstr Surg* 2005 Apr 15;115(5):73e-75e.
191. ECRI. Using external defibrillators in oxygen-enriched atmospheres can cause fires. *Health Devices* 2005 Dec;34(12):423-5.*
192. Errando CL, García-Covisa N, Del-Rosario E, Peiró CM. An infrequent case of fire in the operating room during open surgery of a tracheobronchopleural fistula. *J Cardiothorac Vasc Anesth*. 2005 Aug;19(4):556-7.
193. Fire marshal bans alcohol-based preps. *OR Manager* 2005 Jun;21(6):5, 7.
194. Guzmán Malpica EM, Rufino Ruiz J, Rivas Castro M, Galán Ortega M, Vidal Casas M, Cortés Sánchez R. [Airway fire during electrocautery dissection of the tonsils]. *Rev Esp Anestesiol Reanim*. 2005 Dec;52(10):637-8. Spanish.
195. Katz JA, Campbell L. Fire during thoracotomy: a need to control the inspired oxygen concentration. *Anesth Analg*. 2005 Aug;101(2):612.
196. Kelley P, O'Hara M, Bishop J, Brenner R, Doe E. Flammability of common ocular lubricants in an oxygen-rich environment. *Eye Contact Lens* 2005 Nov;31(6):291-3.
197. Lin IH, Hwang CF, Kao YF, Chang KA, Peng JP. Tracheostomal fire during an elective tracheostomy. *Chang Gung Med J* 2005 Mar;28(3):186-90.
198. Lampotang S, Gravenstein N, Paulus DA, Gravenstein D. Reducing the incidence of surgical fires: supplying nasal cannulae with sub-100% O₂ gas mixtures from anesthesia machines. *Anesth Analg* 2005 Nov;101(5):1407-12.
199. Liu CH, Mathrani V. Preventing fire in the OR. *Nursing* 2005 Dec;35(12):26.
200. Lypson ML, Stephens S, Colletti L. Preventing surgical fires: who needs to be educated? *Jt Comm J Qual Patient Saf* 2005 Sep;31(9):522-7.
201. Meltzer HS, Granville R, Aryan HE, Billman G, Bennett R, Levy ML. Gel-based surgical preparation resulting in an operating room fire during a neurosurgical procedure: case report. *J Neurosurg*. 2005 Apr;102(3 Suppl):347-9. Erratum in: *J Neurosurg*. 2005 Jul;103(1 Suppl):96.
202. NFPA amends regulation on alcohol-based prep solutions. 2005, Aug 8 [cited 2005, Dec 6]. Available from Internet: <http://www.aorn.org/Managers/news/0811/article4.htm>.
203. Paugh DH, White KW. Fire in the operating room during tracheotomy: a case report. *AANA J* 2005 Apr;73(2):97-100.
204. Raval MV, Weiner TM. Beware of the flaming hairball--a brief review and warning. *J Pediatr Surg* 2005 Apr;40(4):E37-8.

*A publication of ECRI Institute or by ECRI Institute staff.

205. Singla AK, Campagna JA, Wright CD, Sandberg WS. Surgical field fire during a repair of bronchoesophageal fistula. *Anesth Analg* 2005 Apr;100(4):1062-4.
206. Spigelman AD, Swan JR. Skin antiseptics and the risk of operating theatre fires. *ANZ J Surg* 2005 Jul;75(7):556-8.
207. Toledano Fernandez N, Garcia Saenz S, Sanchez Cruz J, Racionero Anido O. [Lower lip burn due to a fire during a blepharoplasty procedure] *Arch Soc Esp Oftalmol* 2005 May;80(5):297-300. Spanish.
- 2004
208. Andersen K. Safe use of lasers in the operating room-what perioperative nurses should know. *AORN J* 2004 Jan;79(1):171-88.
209. Bruley ME. Surgical fires: perioperative communication is essential to prevent this rare but devastating complication. *Qual Saf Health Care* 2004;13(6):467-471. [cited 2015 Oct 12]. Available from Internet: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1743921/pdf/v013p00467.pdf> *
210. Flowers J. Code red in the OR—implementing an OR fire drill. *AORN J* 2004 Apr;79(4):797-805.
211. Frochoux D, Rajan GP, Biro P. [Laser-resistance of a new jet ventilation catheter (LaserJet) under simulated clinical conditions]. *Anaesthesist*. 2004 Sep;53(9):820-5. German.
212. McCarthy PM, Gaucher KA. Fire in the OR--developing a fire safety plan. *AORN J* 2004 Mar;79(3):588-597, 600; quiz 601-4.
213. Meeting JCAHO's goal on surgical fires. *OR Manager* 2004 Nov;20(11):26-8.
214. Pichon N, Maisonnette F, Cessot F, Sodji M, Sautereau D. Colonic perforations after gas explosion induced by argon plasma coagulation. *Endoscopy*. 2004 Jun;36(6):573.**
215. Pollock GS. Eliminating surgical fires: a team approach. *AANA J* 2004 Aug;72(4):293-8.
216. Pugliese G, Bartley JM. Home study program. Can we build a safer OR? *AORN J* 2004 Apr;79(4):764-79; quiz 780-2, 785-6.
217. Salmon L. Fire in the OR; Prevention and preparedness [home study program]. *AORN J* 2004 July;80(1):42-60.
218. Smith C. Surgical Fires: Learn not to burn [home study program]. *AORN J* 2004 July;80(1):24-40.
219. Tooher R, Maddern GJ, Simpson J. Surgical fires and alcohol-based skin preparations. *ANZ J Surg* 2004 May;74(5):382-5.
220. Varcoe RL, MacGowan KM, Cass AJ. Airway fire during tracheostomy. *ANZ J Surg* 2004 Jun;74(6):507-8.
221. Walker P, Temperley A, Thelfo S, Hazelgrove A. Avoidance of laser ignition of endotracheal tubes by wrapping in aluminium foil tape. *Anaesth Intensive Care* 2004 Feb;32(1):108-12.
222. Weaver JM. Fire hazards with ambulatory anesthesia in the dental office. *Anesth Prog*. 2004;51(2):45. [Free full text at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2007475/pdf/anesthprog00002-0005.pdf>
223. Werkhaven JA. Microlaryngoscopy-airway management with anaesthetic techniques for CO(2) laser. *Paediatr*

*A publication of ECRI Institute or by ECRI Institute staff.

Anaesth 2004 Jan;14(1):90-4.

224. Wolf GL, Sidebotham GW, Lazard JLP, Charchaflieh JG. Laser ignition of surgical drape materials in air, 50% oxygen, and 95% oxygen. *Anesthesiology* 2004 May;100:1167-71.

2003

225. ECRI Institute. A clinician's guide to surgical fires: how they occur, how to prevent them, how to put them out [guidance article]. *Health Devices* 2003; 32(1):5-24.*

226. Beyea SC. Preventing fires in the OR. *AORN J* 2003 Oct;78(4):664-6.

227. Bruley ME. Frequent questions on OR fire safety. *OR Manager* 2003; 19(12):17-18. *

228. Connor R. Clinical issues: dual return electrodes; electrosurgical fires; fluid biohazards; cleaning with alcohol; free-flowing oxygen. *AORN J* 2003 May; 77(3):1012-1018.

229. ECRI Institute. ECRI's latest audio conference targets surgical fires. Training and communication are key, say speakers. *Health Devices*. 2003 Oct;32(10):396-8.*

230. ECRI Institute. Educational videos on surgical fires [evaluation]. *Health Devices* 2003; 32(1):24-36.*

231. Ehrenwerth J, Seifert HA. Fire Safety in the Operating Room. ASA Refresher Courses in *Anesthesiology*. 31(1):25-33, 2003.

232. ECRI Institute. FDA's Educational Video on Oxygen Regulator Fires [evaluation]. *Health Devices* 2003; 32(1):38.*

233. Hurt TL, Schweich PJ. Do not get burned: preventing iatrogenic fires and burns in the emergency department. *Pediatr Emerg Care* 2003 Aug;19(4):255-9.

234. ECRI Institute. Improper use of alcohol-based skin preps can cause surgical fires [hazard]. *Health Devices*. 2003 Nov;32(11):441-3.*

235. JCAHO's new sentinel event alert 'raises bar' for preventing OR fires. *OR Manager*. 2003 Aug;19(8):1, 7.

236. Joint Commission for Accreditation of Healthcare Organizations (JCAHO). Sentinel Event Alert: Preventing Surgical Fires. 2003 Jun 24 [cited 2008, Feb 15]. Available from Internet:

http://www.jointcommission.org/assets/1/18/SEA_29.PDF

237. Kozarovich LH. O. R. and oxygen makes three. Communication can prevent fire triangle. *Mater Manag Health Care* 2003 Sep;12(9):32.

238. Mattucci KF, Militana CJ. The prevention of fire during oropharyngeal electrosurgery. *Ear Nose Throat J* 2003 Feb;82(2):107-9.

239. New York Department of Health, New York Patient Occurrence Reporting and Tracking System (NYPORTS). Electrosurgical Burns and Fire Occurrences. *NYPORTS News & Alert*. 2003 June Issue 13.

240. Ng JM, Hartigan PM. Airway fire during tracheostomy: should we extubate? *Anesthesiology* 2003

***A publication of ECRI Institute or by ECRI Institute staff.**

May;98(5):1303.

241. Roane KR. 'I'm on fire...'. Blazes sparked in surgery are on the rise. *US News World Rep* 2003 Aug 18-25;135(5):25.
242. Sesterhenn AM, Dunne AA, Braulke D, Lippert BM, Folz BJ, Werner JA. Value of endotracheal tube safety in laryngeal laser surgery. *Lasers Surg Med* 2003;32(5):384-90.
243. Surgical fires: education necessary to address issues. *Health Hazard Manage Monit* 2003 Nov;17(3):1-8..
244. Wagner WM. Double-edged sword. Managing the potential fire hazards posed by alcohol-based hand cleaning products. *Health Facil Manage* 2003 Jun;16(6):47-50.
245. Werkhaven JA. Microlaryngoscopy-airway management with anaesthetic techniques for CO2 laser. *Paediatr Anaesth* 2004 Jan;14(1):90-4.

2002

246. Awan MS, Ahmed I. Endotracheal tube fire during tracheostomy: a case report. *Ear Nose Throat J* 2002 Feb;81(2):90-2.
247. Bruley ME, de Richemond AL. Supplemental oxygen versus latent alcohol vapors as surgical fire precursors [letter]. *Anes Analg* 2002;95: 1459. *
248. Dhebri AR, Afify SE. Free gas in the peritoneal cavity: the final hazard of diathermy. *Postgrad Med J*. 2002 Aug;78(922):496-7
249. ECRI Institute. Eye on medical errors: Reducing the risk of fires during head and neck surgery. *Health Devices* 2002; 31(4):125.*
250. Gehring H.[Risks concerning oxygen in laser surgery]. *Anesthesiol Intensivmed Notfallmed Schmerzther*. 2002 Jan;37(1):43-51. German.
251. Ho SY, French P. Minimizing fire risk during eye surgery. *Clin Nurs Res* 2002 Nov;11(4):387-402.
252. Lai HC, Juang SE, Liu TJ, Ho WM. Fires of endotracheal tubes of three different materials during carbon dioxide laser surgery. *Acta Anaesthesiol Sin* 2002 Mar;40(1):47-51.
253. Lees DE. Operating room fires: still a problem? *ASA Newsletter* 2002 Jun;66(6):33-4.
254. Lierz P, Heinatz A, Gustorff B, Felleiter P. Management of intratracheal fire during laser surgery. *Anesth Analg* 2002 Aug;95(2):502
255. Massachusetts Dept Public Health. Health care quality safety alert: preventing operating room fires during surgery. 2002 Nov [cited 2006 Jan 18]. Available from Internet: <http://www.mass.gov/dph/dhec/pdfs/orfires.pdf>.
256. Rodgers LA, Kulwicki A. Safety in the use of compressed air versus oxygen for the ophthalmic patient. *AANA J* 2002 Feb;70(1):41-6.

***A publication of ECRI Institute or by ECRI Institute staff.**

257. ECRI Institute. Reducing the risk of fires during head and neck surgery [Eye on med errors]. *Health Devices* 2002;31(4):125.*
258. Spies R. Theatre fire prompts review of safety protocols. *Nurs N Z* 2002 Nov;8(10):19.
259. Takanashi S, Hasegawa Y, Ito A, Sato M, Kaji K, Okumura K. Airflow through the auxiliary line of the laser fiber prevents ignition of intra-airway fire during endoscopic laser surgery. *Lasers Surg Med* 2002;31(3):211-5.
260. Wu CC, Shen CH, Ho WM. Endotracheal tube fire induced by electrocautery during tracheostomy--a case report. *Acta Anaesthesiol Sin*. 2002 Dec;40(4):209-13.

2001

261. Barker SJ, Polson JS. Fire in the operating room: a case report and laboratory study. *Anes Analg* 2001;93: 960-5.
262. Chou AK, Tan PH, Yang LC, Sun GC, Hsieh SW. Carbon dioxide laser induced airway fire during larynx surgery: case report. *Chang Gung Med J* 2001 Jun;24(6):393-8.
263. Greco RJ. Beware of fire! *Plast Reconstr Surg* 2001 Jun;107(7):1828-9.
264. Handa KK, Bhalla AP, Arora A. Fire during the use of Nd-Yag laser. *Int J Pediatr Otorhinolaryngol* 2001 Sep 28;60(3):239-42.
265. Lai A, Ng KP. Fire during thoracic surgery. *Anaesth Intensive Care* 2001 Jun;29(3):301-3.
266. Lowry RK, Noone RB. Fires and burns during plastic surgery. *Ann Plast Surg* 2001 Jan;46(1):72-6.
267. Rinder CS. Fire safety in the operating room. *Curr Opin Anaesthesiol*. 2008 Dec;21(6):790-5. Review.
268. Rogers ML, Nickalls RW, Brackenbury ET, Salama FD, Beattie MG, Perks AG. Airway fire during tracheostomy: prevention strategies for surgeons and anaesthetists. *Ann R Coll Surg Engl* 2001 Nov;83(6):376-80. [cited 2013 July 17]. Available from Internet:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2503679/pdf/amrcse01634-0016.pdf>
269. Smith TL, Smith JM. Electrosurgery in otolaryngology-head and neck surgery: principles, advances, and complications. *Laryngoscope* 2001 May;111(5):769-80.

2000

270. Barnes AM, Frantz RA. Do oxygen-enriched atmospheres exist beneath surgical drapes and contribute to fire hazard potential in the operating room? *AANA J* 2000 Apr;68(2):153-61.
271. de Richemond AL, Bruley ME. Use of supplemental oxygen during surgery is not risk free [letter]. *Anesthesiology* 2000; 93(2):583-4. *
272. ECRI Institute. Educational videos on surgical fires [evaluation]. *Health Devices* 2000 Jul-Aug;29(7-8):274-87.*
273. Hamza M, Loeb RG. Fire in the operating room. *J Clin Monit Comput*. 2000;16(4):317-20.
274. Medical Devices Agency (MDA). Use of spirit-based solutions during surgical procedures requiring the use of electro-surgical equipment [MDA Safety Warnings online]. SN2000(17). 2000 Oct [cited 2003 Jan 30]. Available

***A publication of ECRI Institute or by ECRI Institute staff.**

from Internet: <http://www.medical-devices.gov.uk>.

275. ECRI Institute. Only you can prevent surgical fires [poster]. *Health Devices* 2000 Jul-Aug;29(7-8):278. Also Available from Internet: http://www.mdsr.ecri.org/static/surgical_fire_poster.pdf.*
276. Santos P, Ayuso A, Luis M, Martinez G, Sala X. Airway ignition during CO2 laser laryngeal surgery and high frequency jet ventilation. *Eur J Anaesthesiol* 2000 Mar;17(3):204-7.
277. Scherer TA. Nd-YAG laser ignition of silicone endobronchial stents. *Chest* 2000 May;117(5):1449-54.
278. Surgical fires addressed in new guide. *Stand News* 2000 Mar;28(3):10-1.

1999

279. Baur DA, Butler RC. Electrocautery-ignited endotracheal tube fire: case report. *Br J Oral Maxillofac Surg* 1999 Apr;37(2):142-3.
280. ECRI Institute. Fire blankets in the OR? [talk to the specialist]. *Health Devices* 1999 Nov;28(11):469.*
281. Martin L, Dolman P. Fire! [letter]. *Can J Anaesthesia* 1999;46(9):909.
282. Molin L, Hallgren S. Hair ignition by dye laser for port-wine stain: risk factors evaluated. *J Cutan Laser Ther*. 1999 Apr;1(2):121-4.
283. Schlager A. New support for ophthalmic drapes. *Arch Ophthalmol* 1999 Oct;117(10):1441-2.
284. ECRI Institute. Surgical fire hazards of alcohol [talk to the specialist]. *Health Devices* 1999 Jul;28(7):286.*
285. ECRI Institute. Surgical fires: learning prevention [talk to the specialist]. *Health Devices* 1999 Sep;28(9):372-4.*
286. Wolf GL. Danger from OR fires still a serious problem. *APSF Newsletter* 1999-2000;14(4):47.
287. Wolf GL, Sidebotham GW. Endotracheal tube fire: comments on the advisability of not extubating. *Anesthesiology*. 1999 Sep;91(3):888-9.
288. Zinsser E, Will U, Gottschalk P, Bosseckert H. Bowel gas explosion during argon plasma coagulation. *Endoscopy* 1999 May;31(4):S26.**

1998

289. Bosman YK, Krige SJ, Edge KR, Newstead J, DuToit PW. Comfort and safety in eye surgery under local anaesthesia. *Anaesth Intensive Care*. 1998 Apr;26(2):173-7.
290. Chee WK, Benumof JL 1998 Airway fire during tracheostomy: extubation may be contraindicated. *Anesthesiology* 1998 Dec;89(6) 1576–1578 . Available from Internet: <https://anesthesiology.pubs.asahq.org/article.aspx?articleid=1946909>.
291. Coorey A, Brimacombe J, Keller C. Saline as an alternative to air for filling the laryngeal mask airway cuff. *Br J Anaesth*. 1998 Sep;81(3):398-400.

***A publication of ECRI Institute or by ECRI Institute staff.**

292. Cohen DL, Motahdi S, Wolf GL, et al. The effect of volatile anesthetics upon the flammability of endotracheal tubes [abstract]. *Anesth Analg* 1998 Feb;86(2 Suppl):S201.
293. Coulson AS, Bakhshay SA. Harmonic scalpel prevents tracheotomy fires. *Chest* 1998 Jul;114(1):349-50.
294. ECRI Institute. Fire hazard created by the misuse of DuraPrep solution [hazard report]. *Health Devices* 1998 Nov;27(11):400-2.*
295. Galapo S, Wolf GL, Sidebotham GW, et al. Laser ignition of surgical drapes in an oxygen enriched atmosphere. *Anesthesiology* 1998 Sep;89(3A):A580.
296. ECRI Institute. Ignition of debris on active electrosurgical electrodes [hazard]. *Health Devices* 1998 Sep-Oct;27(9-10):367-70.*
297. Lucarelli MJ, Lemke BN. Monopolar electrosurgical flash fire. *Ophthalmic Surg Lasers*. 1998 Mar;29(3):249-50.
298. Medical Devices Agency (MDA). Light sources and light guides for endoscopic use [MDA Safety Warnings online]. SN9841. 1998 Nov. [cited 2003 Jan 30]. Available from Internet: <http://www.medical-devices.gov.uk>.
299. Moyer P. Operating room fires: how to prevent and minimize spread. *Todays Surg Nurse* 1998 Nov-Dec;20(6):13-7; quiz 39-40.
300. Ortega RA. A rare cause of fire in the operating room. *Anesthesiology* 1998 Dec;89(6):1608.
301. ECRI Institute. Sparking from and ignition of damaged electrosurgical electrode cables [hazard report]. *Health Devices* 1998 Aug;27(8):301-3. *
302. Thompson JW, Colin W, Snowden T, Hengesteg A, Stocks RM, Watson SP. Fire in the operating room during tracheostomy. *South Med J*. 1998 Mar;91(3):243-7.
303. Wald D, Michelow BJ, Guyuron B, Gibb AA. Fire hazards and CO2 laser resurfacing. *Plast Reconstr Surg* 1998 Jan;101(1):185-8.
304. Weinbaum W, Hathcock G, Whalen T, Wolbarst M. Here's how to prevent laser fires in the OR. *Health Facil Mgmt* 1998; 11(9):29-30.

1997

305. Howard BK, Leach JL. Prevention of flash fires during facial surgery performed under local anesthesia. *Ann Otol Rhinol Laryngol* 1997 Mar;106(3):248-51.
306. Pandit JJ, Chambers P, O'Malley S. KTP laser-resistant properties of the reinforced laryngeal mask airway. *Br J Anaesth*. 1997 May;78(5):594-600.
307. Podnos YD, Williams, RA. Fires in the operating room. *Bul Amer Coll Surgeons* 1997; 82(8):14-17.
308. Sidebotham GW, Cantelmi F, Stoffa DM, et al. Flammability of intestinal gases during nitrous oxide anesthesia. In: Royals WT, Chou TC, Steinberg TA, eds. *Flammability and sensitivity of materials in oxygen-enriched atmospheres*. Vol. 8. West Conshohocken (PA): American Society for Testing and Materials; 1997:477-85.

***A publication of ECRI Institute or by ECRI Institute staff.**

ASTM STP 1319. **

309. Tidmarsh MD, May AE. Ophthalmic surgery, local anaesthesia and supplemental oxygen. *Anaesthesia* 1997 Oct;52(10):1023-4.
310. West JB. Fire hazard in oxygen-enriched atmospheres at low barometric pressures. *Aviat Space Environ Med* 1997 Feb;68(2):159-62.

1996

311. Albegger KW. [Igniting the endotracheal tube in tracheotomy with electrocautery. How it should not be done]. *HNO*. 1996 May;44(5):271. German.
312. de Richemond AL. Fires in hospitals. *Speaking Fire* 1996 Winter;3(4):22-3.*
313. ECRI Institute. Electrosurgical airway fires still a hot topic [hazard report]. *Health Devices* 1996 Jul;25(7):260-2.*
314. Lach E. The hazards of using supplemental oxygen. *Plast Reconstr Surg* 1996 Sep;98(3):566-7.
315. ECRI Institute. Selecting fire extinguishers for the operating room [talk to the specialist]. *Health Devices* 1996 Jul;25(7):261, 263.
316. Stouffer DJ. Fires in operating rooms: an unrecognized problem? *Firehouse* 1991;16:30-3.
317. Sosis MB, Braverman B, Caldarelli DD. Evaluation of a new laser-resistant fabric and copper foil-wrapped endotracheal tube. *Laryngoscope* 1996 Jul;106(7):842-4
318. Sosis MB, Braverman B. Advantage of rubber over plastic endotracheal tubes for rapid extubation in a laser fire. *J Clin Laser Med Surg* 1996 Apr;14(2):93-5.
319. Waldorf HA, Kauvar NB, Geronemus RG, Leffel DJ. Remote fire with the pulsed dye laser: risk and prevention. *J Am Acad Dermatol* 1996 Mar;34(3):503-6.

1995

320. Alexander PD, Meurer-Laban M. Rechargeable Optima laryngoscopes [letter]. *Br J Anaesth* 1995;74(6):724-5.
321. Comberg G, Elfeldt R, Jeckstrom W, Wulf H. [Burning endotracheal tube. A complication of tracheotomy using electrocautery.] *Chirurg* 1995 Sep;66(9):927-8. German.
322. Demos JE. Fire in the operating room [letter]. *Plast Reconstr Surg* 1995 Feb;95(2):419-20.
323. ECRI Institute. Fiberoptic illumination systems and the risk of burns or fire during endoscopic procedures. *Health Devices* 1995 Nov;24(11):457-9. *
324. ECRI Institute. Fires from oxygen use during head and neck surgery [hazard report]. *Health Devices* 1995 Apr;24(4):155-7.*
325. Goerig IW. Fires and explosions *Br J Anaesth* 1995 Dec;75:666-7.
326. Greco RJ, Gonzalez R, Johnson P, et al. Potential dangers of oxygen supplementation during facial surgery. *Plast*

***A publication of ECRI Institute or by ECRI Institute staff.**

Reconstr Surg 1995 May;95(6):978-84.

327. Greulich PE, Greulich NB, Froelich EG. Intraabdominal fire during laparoscopic cholecystectomy. *Anesthesiology* 1995 Oct;83(4):871-4.
328. Johnson CT. Reply from: Compressed Gas Association, Inc. *Anesthesiology* 1995 Oct;83(4):879.
329. Mathias JM. Education the best prevention for fires in the operating room. *OR Manager* 1995; 11(5):30-31.
330. Miller GM, Limb RI. The CO₂ laser and latex armoured tube [letter]. *Anaesth Intensive Care* 1995 Aug;23(4):517-8.
331. Reyes RJ, Smith AA, Mascaro JR, et al. Supplemental oxygen: ensuring its safe delivery during facial surgery. *Plast Reconstr Surg* 1995 Apr;95(5):924-8.
332. Waldorf HA, Leffel D, Kauvar AN, et al. The pulsed dye laser and fire: assessment of the problem and guidelines for prevention [abstract]. *Lasers Surg Med* 1995;(Suppl 7):80.
333. Sosis MB. Saline soaked pledgets prevent carbon dioxide laser-induced endotracheal tube cuff ignition. *J Clin Anesth* 1995 Aug;7(5):395-7.

1994

334. AlHaddad S, Brenner J. Helium and lower oxygen concentration do not prolong tracheal tube ignition time during potassium titanyl phosphate laser use. *Anesthesiology* 1994 Apr;80(4):936-8.
335. Bennett JA, Agree M. Fire in the chest [letter]. *Anesth Analg* 1994 Feb;78(2):406.
336. Brimacombe J. The incendiary characteristics of the laryngeal and reinforced laryngeal mask airway to CO₂ laser strike: a comparison with two polyvinyl chloride tracheal tubes. *Anaesth Intensive Care* 1994 Dec;22(6):694-7.
337. Chang BW, Petty P, Manson PN. Patient fire safety in the operating room. *Plast Reconstr Surg* 1994 Mar;93(3):519-21.
338. Dorsch JA, Dorsch SE. Hazards of anesthesia machines and breathing systems. In: Dorsch JA, Dorsch SE, eds. *Understanding anesthesia equipment*. 3rd ed. Baltimore: Williams & Wilkins, 1994:325-61.
339. Epstein RH, Halmi BH. Oxygen leakage around the laryngeal mask airway during laser treatment of port-wine stains in children. *Anesth Analg*. 1994. Mar;78(3):486-9
340. Finnegan JM. Staff education can prevent OR fires. *Todays OR Nurse* 1994 May-Jun;16(3):24-6.
341. ECRI Institute. Fire caused by improper disposal of electrocautery units [hazard]. *Health Devices* 1994 Mar;23(3):98.*
342. ECRI Institute. Fires from defibrillation during oxygen administration [hazard report]. *Health Devices* 1994 Jul;23(7):307-9. *
343. Hunsaker DH. Anesthesia for microlaryngeal surgery: the case for subglottic jet ventilation. *Laryngoscope*. 1994;104:1-30.

***A publication of ECRI Institute or by ECRI Institute staff.**

344. Laparoscopy light cable ignites operating room fire. *Biomed Saf Stand* 1994 Dec 1;24(21):162-3.
345. Macdonald AG. A brief historical review of non-anaesthetic causes of fires and explosions in the operating room. *Br J Anaesth* 1994 Dec;73(6):847-56.**
346. Macdonald MR, Wong A, Walker P, Crysedale WS. Electrocautery-induced ignition of tonsillar packing. *J Otolaryngol.* 1994 Dec;23(6):426-9.
347. Macdonald AG. A short history of fires and explosions caused by anaesthetic agents. *Br J Anaesth* 1994 Jun;72(6):710-22.
348. Macdonald MR, Wong A, Walker P, Crysedale WS. Electrocautery-induced ignition of tonsillar packing. *J Otolaryngol* 1994 Dec;23(6):426-9.
349. McCranie J. Fire safety in the operating room. *Today's OR Nurse* 1994 Jan-Feb;16(1):33-7.
350. Michels AM, Stott S. Explosion of tracheal tube during tracheostomy [letter]. *Anaesthesia* 1994 Dec;49(12):1104.
351. Norris JL. Fire safety in the operating room. *AANA J* 1994 Aug;62(4):342-5.
352. ECRI Institute. OR fires don't need flammable anesthetics [poster] *Health Devices*; 1994 Apr;24(4):156. *
353. ECRI Institute. Responding to fires in areas of oxygen use [hazard report]. *Health Devices* 1994 Jul;23(7):306-7. *
354. ECRI Institute. Use of wrong gas in laparoscopic insufflator causes fire [hazard report]. *Health Devices* 1994 Jan-Feb;23(1-2):55-6. *
355. ECRI Institute. Use of wrong gas in laparoscopic insufflator causes fire [hazard update]. *Health Devices* 1994 Oct-Nov;23(10-11):456-7. *
356. Wolf GL, Sidebotham GW, Stern JB. Intraluminal flame spread in tracheal tubes. *Laryngoscope* 1994 Jul;104(7):874-9.
357. Sosis MB, Pritikin JB, Caldarelli DD. The effect of blood on laser-resistant endotracheal tube combustion. *Laryngoscope* 1994 Jul;104(7):829-31.
358. Sosis MB, Braverman B. Metal anesthesia circuit components stop the progression of laser fires. *J Clin Anesth* 1994 Jan-Feb;6(1):52-4.

1993

359. Altomare DF, Memeo V. Colonic explosion during diathermy colotomy. Report of a case. *Dis Colon Rectum* 1993 Mar;36(3):291-2.**
360. Axelrod EH, Kusnetz AB, Rosenberg MK. Operating room fires ignited by hot wire cautery. *Anesthesiology* 1993 Nov;79(5):1123-6.
361. ECRI Institute. Burns and fires from electrosurgical active electrodes [hazard]. *Health Devices* 1993 Aug-Sep;2(8-9):421-2; 1993 Oct;22(10):502. *

***A publication of ECRI Institute or by ECRI Institute staff.**

362. de Richemond AL, Bruley ME. Insidious iatrogenic oxygen-enriched atmospheres as a cause of surgical fires. In: Janoff DD, Stoltzfus JM, eds. *Flammability and sensitivity of materials in oxygen-enriched atmospheres*. Vol. 6. West Conshohocken (PA): American Society for Testing and Materials; 1993 Sep:66-73. ASTM STP 1197. *
363. de Richemond AL. Safe practices key to preventing fires in the OR. *Todays OR Nurse* 1993 Jul-Aug;15(4):6.*
364. Halstead MA. Fire drill in the operating room: Role playing as a learning tool. *AORN J*. 1993 Oct;58(4):697-706.
365. Kautzky M, Fitzgerald R, Dechtyar I, Schenk P. Effects of the holmium:YAG and erbium:YAG lasers on endotracheal tubes. *ORL J Otorhinolaryngol Relat Spec*. 1993 Mar-Apr;55(2):105-9.
366. Mills GH, Jones RB. Explosion during surgery for gastric outlet obstruction. *Anaesthesia* 1993(Jun);48(6):544.**
367. Neuman GG, Sidebotham G, Negoianu E, et al. Laparoscopy explosion hazards with nitrous oxide. *Anesthesiology* 1993 May;78(5):875-9.
368. Pashayan AG, Wolf G, Gottschalk A, et al. Upper airway management guide provided for laser airway surgery. *Anesth Patient Saf Found Newsl* 1993 Summer;8(2):13-6.
369. Taylor AM, Hookway R, Smith GB, et al. Fire evacuation in the ICU [abstract]. *Clin Intensive Care* 1993;4(6):306.
370. Sosis MB. Evaluation of a technique of nitrogen insufflation to decrease plastic endotracheal tube cuff flammability during carbon dioxide laser surgery. *J Clin Anesth* 1993 Nov-Dec;5(6):468-70
371. Sosis MB. Evaluation of a new laser-resistant operating room drape, eye shield, and anesthesia circuit protector. *J Clin Laser Med Surg* 1993 Oct;11(5):255-7
372. Sosis MB, Braverman B. Prevention of cautery-induced airway fires with special endotracheal tubes. *Anesth Analg* 1993 Oct;77(4):846-7.
373. Sosis MB, Braverman B. Evaluation of foil coverings for protecting plastic endotracheal tubes from the potassium-titanyl-phosphate laser. *Anesth Analg* 1993 Sep;77(3):589-91.
374. Sosis MB, Dillon FX. CO₂ laser-resistant endotracheal tube shows no clear advantage. *Clin Laser Mon* 1993 Aug;11(8):123-4.
375. Sosis MB, Dillon FX. A comparison of CO₂ laser ignition of the Xomed, plastic, and rubber endotracheal tubes. *Anesth Analg* 1993 Feb;76(2):391-3.
376. Wood DK, Hollis R. Thermocautery causes a gauze pad fire {letter}. "JAMA" 1993 Nov 17;270(19):2299-300.
- 1992**
377. Arnold JE, Allphin AL. Effect of extraluminal oxygen on carbon dioxide laser ignition of endotracheal tubes. *Arch Otolaryngol Head Neck Surg*. 1992. Jul;118(7):722-4.
378. de Richemond AL, Bruley ME. Head and neck surgical fires. Chapter 37. In: Eisele DW, ed. *Complications in head and neck surgery*. St. Louis: Mosby; 1992:492-508. *
379. ECRI Institute. Emergency procedure: extinguishing airway fires. *Health Devices* 1992 Jan;21(1):30. Also

*A publication of ECRI Institute or by ECRI Institute staff.

Available from Internet: http://www.mdsr.ecri.org/summary/detail.aspx?doc_id=8272. *

380. ECRI Institute. Emergency procedure: fighting fires on the surgical patient. *Health Devices* 1992 Jan;21(1):29.
Also Available from Internet: http://www.mdsr.ecri.org/summary/detail.aspx?doc_id=8273. *
381. Goodman RS. Electrodisssection tonsillectomy [comment]. *Arch Otolaryngol Head Neck Surg* 1992 Dec;118(12):1367.
382. Green JM, Gonzalez RM, Sonbolian N, Rehkopf P. The resistance to carbon dioxide laser ignition of a new endotracheal tube: Xomed Laser-Shield II. *J Clin Anesth* 1992 Mar-Apr;4(2):89-92.
383. Hammond JE. The 'hidden' danger. *Anesthesia* 1992 Nov;47(11):1013-14.**
384. Keller C, Elliott W, Hubbell RN. Endotracheal tube safety during electrodisssection tonsillectomy. *Arch Otolaryngol Head Neck Surg* 1992 Jun;118(6):643-5.
385. ECRI Institute. Laser contact tips and tracheal tubes [supplementary testing]. *Health Devices* 1992 Jan;21(1):18. *
386. ECRI Institute. Laser ignition of surgical drapes [supplementary testing]. *Health Devices* 1992 Jan;21(1):15-6. *
387. ECRI Institute. Laser-resistant tracheal tubes [evaluation]. *Health Devices* 1992 Jan;21(1):4-14. *
388. ECRI Institute. The patient is on fire!: a surgical fires primer [guidance article]. *Health Devices* 1992 Jan;21(1):19-34.*
389. Marsh B, Riley RH. Double-lumen tube fire during tracheostomy [letter]. *Anesthesiology* 1992 Mar;76(3):480-1.
390. Norris J. Fire safety in the operating room. *Today's OR Nurse* 1992 Mar;14(3):8-10.
391. ECRI Institute. Surgical fire case summaries. *Health Devices* 1992 Jan;21(1):31. *
392. ECRI Institute. The devastation of patient fires. *Health Devices* 1992 Jan;21(1):3. *
393. Wegrzynowicz ES, Jensen NF, Pearson KS, et al. Airway fire during jet ventilation for laser excision of vocal cord papillomata. *Anesthesiology* 1992 Mar;76(3):468-9.
394. Sosis MB, Caldarelli D. Evaluation of a new ceramic endotracheal tube for laser airway surgery. *Otolaryngol Head Neck Surg* 1992 Oct;107(4):601-2
395. Sosis MB. Which is the safest endotracheal tube for use with the CO2 laser? A comparative study. *J Clin Anesth* 1992 May-Jun;4(3):217-9.
396. Sosis MB. On the development of a new laser-resistant endotracheal tube. *J Clin Anesth* 1992 Mar-Apr;4(2):87-8.
397. Sosis MB, Dillon F. Prevention of CO2 laser-induced endotracheal tube fires with the laser-guard protective coating. *J Clin Anesth* 1992 Jan-Feb;4(1):25-7.

1991

398. Aly A, McIlwain M, Duncavage JA. Electrosurgery-induced endotracheal tube ignition during tracheotomy. *Ann Otol Rhinol Laryngol* 1991 Jan;100(1):31-3.
399. de Richemond AL. Laser resistant endotracheal tubes □ protection against oxygen-enriched airway fires during

***A publication of ECRI Institute or by ECRI Institute staff.**

- surgery? In: Stoltzfus JM, McIlroy K, eds. *Flammability and sensitivity of materials in oxygen-enriched atmospheres*. Vol. 5. Philadelphia: American Society for Testing and Materials; 1991:157-67. ASTM STP 1111. *
400. Fasano AR. Fire evacuation plan for operating rooms. *Code Red* 1991;(58):11.
401. Fried MP, Mallampati SR, Liu FC, Kaplan S, Caminear DS, Samonte BR. Laser resistant stainless steel endotracheal tube: experimental and clinical evaluation. *Lasers Surg Med* 1991;11(3):301-6.
402. Lew EO, Mittleman RE, Murray D. Endotracheal tube ignition by electrocautery during tracheostomy: case report with autopsy findings. *J Forensic Sci* 1991 Sep;36(5):1586-91.
403. Patterson P. Class I surgical drape flammability designation is causing confusion. *OR Manager* 1991 Feb;7(2):1, 12-3.
404. Stouffer DJ. Fires in operating rooms: an unrecognized problem? *Firehouse* 1991;16:30-3.
405. Sosis M, Dillon F. Hazards of a new, clear, unmarked polyvinylchloride tracheal tube designed for use with the Nd-YAG laser. *J Clin Anesth*. 1991.

1990

406. ECRI Institute. Airway fires: reducing the risk during laser surgery [clinical perspective]. *Health Devices* 1990 Apr;19(4):109-11. *
407. Bailey MK, Bromley HR, Allison JG, et al. Electrocautery-induced airway fire during tracheostomy. *Anesth Analg* 1990 Dec;71(6):702-4.
408. Bauman N. Some ET (endotracheal) tubes fail fire-resistance test. *OR Manager* 1990 Sep;6(9):13-4.
409. Bingham HG, Gallagher TJ, Singleton GT, Gravenstein JS, Pashayan AG, Bjoraker DG. Carbon dioxide laser burn of laryngotracheobronchial mucosa. *J Burn Care Rehabil*.1990 Jan-Feb;11(1):64-6.
410. ECRI Institute. Fighting airway fires [poster]. *Health Devices* 1990 Apr;19(4):111. *
411. ECRI Institute. Fighting airway fires. *Health Devices* 1990 Apr;19(4):111. *
412. Epstein RH, Brummett RR Jr, Lask GP. Incendiary potential of the flash-lamp pumped 585-nm tunable dye laser. *Anesth Analg* 1990 Aug;71(2):171-5.
413. Garry BP, Bivens HE. Anesthetic technique for safe laser use in surgery. *Semin Surg Oncol*. 1990;6(3):184-8.
414. Jackson KA, Morland MH. Anaesthesia for resection of lesions of the trachea and main bronchi using the neodymium yttrium aluminium garnet (Nd YAG) laser. A report of 75 treatments in 52 patients. *Anaesth Intensive Care*. 1990 Feb;18(1):69-75.
415. ECRI Institute. Laser-resistant endotracheal tubes and wraps [evaluation]. *Health Devices* 1990 Apr;19(4):112-39. *
416. Le Clair J, Gartner S, Halma G. Endotracheal tube cuff ignited by electrocautery during tracheostomy. *AANA J*.

***A publication of ECRI Institute or by ECRI Institute staff.**

1990 Aug;58(4):259-61.

417. Mandych A, Mickelson S, Amis R. Operating room fire. *Arch Otolaryngol Head Neck Surg* 1990 Dec;116(12):1452.
418. Patterson P. Fire dept makes recommendation for class I drapes. *OR Manager* 1990 Nov;6(11):1, 4-5.
419. Patterson P. Oxygen might be a factor in the fire in OR at UCLA. *OR Manager* 1990 Sep;6(9):1, 22.
420. Sebben JE. Fire hazards and electrosurgery. *J Dermatol Surg Oncol* 1990 May;16(5):421-4.
421. Simpson JI, Schiff GA, Wolf GL. The effect of helium on endotracheal tube flammability. *Anesthesiology* 1990 Sep;73(3):538-40.
422. Sosis M. Nitrogen insufflation decreases PVC endotracheal tube cuff flammability during CO2 laser surgery. *Can J Anaesth*. 1990 May;37(4 Pt 2):S136.
423. Sosis MB, Dillon FX. Saline-filled cuffs help prevent laser-induced polyvinylchloride endotracheal tube fires. *Anesth Analg* 1991 Feb;72(2):187-9. Comment in: *Anesthesiology*. 1990 Sep;73(3):580-1.
424. Sosis MB. Airway fire during co2 laser surgery using a Xomed Laser endotracheal tube. *Anesthesiology* 1990 Apr;72(4):747-9.
425. Wolf GL, Sidebotham GW. Blowtorch endotracheal tube flame. *Can J naesth*. 1990 May;37(4 Pt 2):S68.

1989

426. Bruley ME, Lavanchy C. Oxygen-enriched fires during surgery of the head and neck. In: Stoltzfus J, Benz FJ, Stradling JS, eds. *Symposium on flammability and sensitivity of materials in oxygen-enriched atmospheres*. Vol. 4. Philadelphia: American Society for Testing and Materials; 1989:392. ASTM STP 1040. *
427. Chestler RJ, Lemke BN. Intraoperative flash fires associated with disposable cautery. *Ophthal Plast Reconstr Surg* 1989;5(3):194-5.
428. Earnshaw JJ, Keane TK. Gastric Explosion: A cautionary tale. *Brit Med J* 1989 Jan 14;298:93-4.**
429. Joyce FS, Rasmussen TN. Gas explosion during diathermy gastrotomy. *Gastroenterology* 1989 Feb;96 (2 pt 1):550-1.**
430. Krawtz S, Mehta AC, Wiedemann HP, et al. Nd-YAG laser-induced endobronchial burn. Management and long-term follow-up. *Chest* 1989 Apr;95(4):916-8.
431. Morris DL, Ward PJ, Hay N, et al. Studies on the ignition properties of unipolar and bipolar diathermy probes. *Gastrointest Endosc* 1989 Jan-Feb;35(1):68-9.**
432. Neatrou GP, Lederman IR. Reducing fire hazard during ophthalmic surgery by using compressed air. *Ophthalmic Surg* 1989 Jun;20(6):430-2.
433. Pashayan AG, Gravenstein JS. Airway fires during surgery with the carbon dioxide laser [letter]. *Anesthesiology*

*A publication of ECRI Institute or by ECRI Institute staff.

1989 Sep;71(3):478.

434. Vidor KK, Puterbaugh S, Willis CJ. Fire safety training: a program for the operating room. *AORN J* 1989 Apr;49(4):1045-9.

435. Sosis MB. Evaluation of five metallic tapes for protection of endotracheal tubes during CO₂ laser surgery. *Anesth Analg* 1989 Mar;68(3):392-3.

1988

436. Adriani J, Naraghi M, Ward M. Complications of endotracheal intubation. *South Med J* 1988 Jun;81(6):739-44.

437. Brouwers JW. Collodion and electrocautery do not mix [letter]. *Anesth Analg* 1988 Jul;67(7):718.

438. Laser fire: could it happen in your OR? *OR Manager* 1988 May;4(5):4-5.

439. Simpson JI, Wolf GL. Flammability of esophageal stethoscopes, nasogastric tubes, feeding tubes, and nasopharyngeal airways in oxygen- and nitrous oxide-enriched atmospheres. *Anesth Analg* 1988 Nov;67(11):1093-5.

440. Sosis MB, Heller S. An evaluation of five metallic tapes for protection of endotracheal tubes during CO₂ laser surgery [abstract]. *Anesthesiology* 1988 Sep;69(3A):A252.

1987

441. Casey KR. Preventing endotracheal fires [letter]. *Chest* 1987;91(4):637.

442. Agee K, Wells W. Petroleum products and lasers do not mix. *AORN J* 1987 Jun;45(6):1274.

443. ECRI Institute. Defibrillation in oxygen-enriched environments [hazard]. *Health Devices* 1987 Mar-Apr;16(3-4):113-4. *

444. Fontenot R Jr, Bailey BJ, Stiernberg CM, Jenicek JA. Endotracheal tube safety during laser surgery. *Laryngoscope*. 1987 Aug;97(8 Pt 1):919-21.

445. Levin BC. *Summary of the NBS literature reviews on the chemical nature and toxicity of the pyrolysis and combustion products from seven plastics*. Gaithersburg (MD): National Bureau of Standards; 1987 Jun. NBSIR 85-3267.

446. Pae ML: General anaesthesia for carbon dioxide laser surgery within the airway: A review. *Br J Anaesth* 1987; 59:1610-20.'

447. Sommer RM. Preventing endotracheal tube fire during pharyngeal surgery. *Anesthesiology*. 1987 Mar;66(3):439.

448. Wolf GL, Simpson JI. Flammability of endotracheal tubes in oxygen and nitrous oxide enriched atmosphere. *Anesthesiology* 1987 Aug;67(2):236-9.

449. Wolf GL, Simpson JI. Flammability of endotracheal tubes in oxygen and nitrous oxide enriched atmospheres

***A publication of ECRI Institute or by ECRI Institute staff.**

[abstract]. *Can J Anaesth* 1987;34(3 Pt 2):S127-8.

1986

450. Ball KA. Laser safety. Part 3. *Today's OR Nurse* 1986 Oct;8(10):10-4.
451. Drews RC. Fire hazard in ophthalmic surgery [letter]. *Ophthalm Surg* 1986 Feb;17:93. (Lederman RC responds.)
452. Geffin B, Shapshay SM, Bellack GS, et al. Flammability of endotracheal tubes during Nd-YAG laser application in the airway. *Anesthesiology* 1986 Nov;65(5):511-5.
453. Hartzell GE. Combustion products and their effects on life safety. In: Cote AE, ed. *Fire protection handbook*. 16th ed. Quincy (MA): National Fire Protection Association; 1986:33.
454. Hayes DM, Gaba DM, Goode RL. Incendiary characteristics of a new laser-resistant endotracheal tube. *Otolaryngol Head Neck Surg* 1986 Jul;95(1):37-40.
455. Moxon MA, Ward ME. Fire in the operating theatre. Evacuation pre-planning may save lives. *Anaesthesia* 1986 May;41(5):543-6.
456. ECRI Institute. OR fires: preventing them and putting them out. *Health Devices* 1986 May;15(5):132. *
457. Shapshay SM, Beamis JF Jr. Safety precautions for bronchoscopic Nd-YAG laser surgery. *Otolaryngol Head Neck Surg* 1986 Feb;94(2):175-80.
458. Simpson JI, Wolf GL. Endotracheal tube fire ignited by pharyngeal electrocautery. *Anesthesiology* 1986 Jul;65(1):76-7.
459. ECRI Institute. Surgical drapes [evaluation]. *Health Devices* 1986 May;15(5):111-36. *

1985

460. Hooper RG, Jackson FN. Endobronchial electrocautery. *Chest*. 1985 Jun;87(6):712-4.
461. Lederman IR. Fire hazard during ophthalmic surgery. *Ophthalmic Surg* 1985 Sep;16(9):577-8.
462. Milliken RA, Bizzarri DV. Flammable surgical drapes: a patient and personnel hazard. *Anesth Analg* 1985 Jan;64(1):54-7.
463. Morrill GN, Odom NJ, Watson BG, et al. Ethanol vapor entrapment under drapes [letter]. *Ann Thorac Surg* 1985 Feb;39(2):196-7.
464. Pashayan AG, Gravenstein JS. Helium retards endotracheal tube fires from carbon dioxide lasers. *Anesthesiology* 1985 Mar;62(3):274-7.

1984

465. Avgerinos A, Kalantzis N, Rekoumis G, et al. Bowel preparation and the risk of explosion during colonoscopic polypectomy. *Gut* 1984 Apr;25(4):361-4.**

***A publication of ECRI Institute or by ECRI Institute staff.**

466. Datta TD. Flash fire hazard with eye ointment [letter]. *Anesth Analg* 1984 Jul;63(7):700-1.
467. Dorsch JA, Dorsch SE. Hazards of anesthesia machines and breathing systems [chapter 10]. In: Dorsch JA, Dorsch SE, eds. *Understanding anesthesia equipment*. 2nd ed. Baltimore: Williams & Wilkins, 1984:289-325.
468. Gupta B, Lingam RP, McDonald JS, et al. Hazards of laser surgery [abstract]. *Anesthesiology* 1984 Sep;61(3A):A146.
469. ECRI Institute. Lasers in medicine: an introduction. *Health Devices* 1984 Jun;13(8):151-78. *
470. Lipschultz A, Barnard T. Perspectives on electrical equipment used in oxygen-enriched atmospheres. *Medical Instrumentation* 1984 (Jul-Aug);18(4):239-244.
471. Ponath RE. Preventing surgical fires. *JAMA* 1984 Oct 5;252(13):1762.

1983

472. Bonnet YY, Haberer JP, Schutz R, et al. [Explosion of intestinal gas during surgery] (French). *Ann Fr Anesth Reanim*. 1983;2(6):431-5.
473. Byles PH, Kellman RM. The hazards of N₂O during laser endoscopic surgery [Letter]. *Anesthesiology* 1983 Sep;59:258.
474. Casey KR, Fairfax WR, Smith SJ, et al. Intratracheal fire ignited by the Nd-YAG laser during treatment of tracheal stenosis. *Chest* 1983 Sep;84(3):295-6.
475. Chilcoat RT, Byles PH, Kellman RM. The hazard of nitrous oxide during laser endoscopic surgery [letter]. *Anesthesiology* 1983 Sep;59(3):258.
476. Hakutou T, Sirae A, Tanaka K, Michigami M, Akutagawa T, Kimura K, Inamori K, Hyoudou M. [Indirect ignition of the endotracheal tube and the elastic part of the bronchofiberscope during endoscopic laser surgery]. Masui. 1983 Mar;32(3):343-7. Japanese.
477. Hermens JM, Bennett MJ, Hirshman CA. Anesthesia for laser surgery. *Anesth Analg*. 1983 Feb;62(2):218-29.
478. Mackety CJ. Foil, not cloth for endotracheal tube [letter]. *AORN J* 1983 Nov;38(5):873.
479. Neufeld GR. Fires and explosions. Chapter 52. In: Orkin FK, Cooperman LH, eds. *Complications in anesthesiology*. Philadelphia: J.B. Lippincott; 1983:671-6.
480. Ossoff RH, Duncavage JA, Eisenman TS, et al. Comparison of tracheal damage from laser-ignited endotracheal tube fires. *Ann Otol Rhinol Laryngol* 1983 Jul-Aug;92(4 Pt 1):333-6.
481. Ott AE. Disposable surgical drapes: a potential fire hazard. *Obstet Gynecol* 1983 May;61(5):667-8.

1982

482. Branday JM. Jejunal gas explosion resulting from the use of diathermy. *Br J Surg* 1982 Dec;69(12):728.**
483. Davis TR. The composition and origin of the gas produced during urological endoscopic resections. *Br J Urol*. 1983 Jun;55(3):294-7.**

***A publication of ECRI Institute or by ECRI Institute staff.**

484. Healy GB. Complications of laser surgery. *Otolaryngol Clin North Am.* 1983;16:815-820.
485. LeJeune FE Jr, Guice C, LeTard F, et al. Heat sink protection against lasering endotracheal cuffs. *Ann Otol Rhinol Laryngol* 1982 Nov-Dec;91(6 Pt 1):606-7.
486. Lucida R, Seleny F. Endotracheal tube ignition during laryngeal surgery with resectoscope. *Anesthesiology* 1982;56:60-1.
487. ECRI Institute. "Nonflammable" ORs. *Health Devices* 1982 May;11(7):200. *
488. ECRI Institute. OR fires caused by fiberoptic illumination systems [hazard report]. *Health Devices* 1982 Mar;11(5):148-9. *
489. ECRI Institute. OR fires don't need flammable anesthetics [poster] *Health Devices* 1982 May;11(7):207; 1994 Apr;24(4):156. *
490. Rita L, Seleny F. Endotracheal tube ignition during laryngeal surgery with resectoscope. *Anesthesiology* 1982 Jan;56(1):60-1.
491. Viville C, de Petriconi R, Bietho L. [Intravesical explosion during endoscopic resection. Apropos of a case] [Article in French] *J Urol (Paris)*. 1984;90(5):361-3.**
492. Zanoni CE, Bergamini C, Bertoncini M, et al. Whole-gut lavage for surgery. A case of intraoperative colonic explosion after administration of mannitol. *Dis Colon Rectum* 1982 Sep;25(6):580-1.**

1981

493. Ashcraft KE, Golladay ES, Guinee WS. A surgical field flash fire during the separation of dicephalus dipus conjoined twins. *Anesthesiology* 1981 Oct;55(4):457-8.
494. Cozine K, Rosenbaum LM, Askanazi J, et al. Laser-induced endotracheal tube fire. *Anesthesiology* 1981 Nov;55(5):583-5.
495. Freund PR, Radke HM. Intraoperative explosion: methane gas and diet. *Anesthesiology* 1981 Dec;55(6):700-1.**
496. Kumar A, Frost E. Prevention of fire hazard during laser microsurgery. *Anesthesiology* 1981 Apr;54(4):350.
497. Patel KF, Hicks JN. Prevention of fire hazards associated with use of carbon dioxide lasers. *Anesth Analg.* 1981 Dec;60(12):885-8.
498. Schramm VL Jr, Matox DE, Stool SE: Acute management of laser-ignited intratracheal explosion. *Laryngoscope* 1981; 91:1417-26.
499. Wesley RE, Halpin MS. Use of air entrainment masks during eye surgery. *Respir Care* 1981 Jun;26(6):557-9.

1980

500. ECRI Institute. Fires during surgery of the head and neck area [update]. *Health Devices* 1980 Jan;9(3):82. *
501. Hirshman CA, Smith J. Indirect ignition of the endotracheal tube during carbon dioxide laser surgery. *Arch*

***A publication of ECRI Institute or by ECRI Institute staff.**

Otolaryngol 1980 Oct;106(10):639-41.

1979

502. Bigard MA, Gaùcher P, Lassalle C. Fatal colonic explosion during colonoscopic polypectomy. *Gastroenterology* 1979 Dec;77(6):1307-10.**
503. Burgess GE 3rd, LeJeune FE Jr. Endotracheal tube ignition during laser surgery of the larynx. *Arch Otolaryngol* 1979 Sep;105(9):561-2.
504. ECRI Institute. Fires during surgery of the head and neck area [hazard report]. *Health Devices* 1979 Dec;9(2):50-2. *
505. Hansen RI, Iversen P. Bladder explosion during uninterrupted transurethral resection of the prostate. A case report and an experimental model. *Scand J Urol Nephrol.* 1979;13(2):211-2.**

1978

506. Gunatilake DE. Case report: fatal intraperitoneal explosion during electrocoagulation via laparoscopy. *Int J Gynaecol Obstet* 1978;15(4):353-7.**
507. Ramanathan S, Capan L, Chalou J, et al. Minienvironmental control under the drapes during operations on the eyes of conscious patients. *Anesthesiology* 1978 Apr;48(4):286-8.
508. Vickers MD. Fire and explosion hazards in operating theatres. *Br J Anaesth* 1978 Jul;50(7):659-64.

1977

509. Buyers RA. Fire in the operating room caused by fluid from suture packet. *JAMA* 1977 Feb 7;237(6):531.
510. Skivington MA. A potential hazard of Steri-Drapes. *Anaesthesia* 1977 Jul-Aug;32(7):680.

1976

511. Anderson EF. A potential ignition source in the operating room. *Anesth Analg* 1976 Mar-Apr;55:217.
512. Briscoe CE, Hill DW, Payne JP. Inflammable antiseptics and theatre fires. *Br J Surg* 1976 Dec;63(12):981-3.
513. Champault G Patel JC. Stomach rupture caused by explosion of intragastric intestinal gas [letter]. *Nouv Presse Med* 1976 Jul 3-10;5(27):1695-6 (French).**
514. Johnson RM, Smith CV, Leggett K. Flammability of disposable surgical drapes. *Arch Ophthalmol* 1976 Aug;94(8):1327-9.
515. Snow JC, Norton ML, Saluja TS, et al. Fire hazard during CO₂ laser microsurgery on the larynx and trachea. *Anesth Analg* 1976 Jan-Feb;55(1):146-7.

***A publication of ECRI Institute or by ECRI Institute staff.**

516. Steptoe P. Laparoscopy explosion hazards with nitrous oxide [letter]. *Br Med J* 1976 Apr 3;1(6013):833.**

1975

517. Bond JH Jr, Levitt MD. Factors affecting the concentration of combustible gases in the colon during colonoscopy. *Gastroenterology* 1975 Jun;68(6):1445-8.**
518. Case history number 82: “nonflammable” fires in the operating room. *Anesth Analg* 1975 Jan-Feb;54(1):152-4.
519. Neufeld GR. Physical hazards in the operating room. *Surg Clin North Am* 1975 Aug;55(4):959-66.
520. Robinson JS, Thompson JM, Wood AW. Laparoscopy explosion hazards with nitrous oxide [letter]. *Br Med J* 1975 Dec 27;4(5999):760-1.**

1974

521. Benbow BP, Kearse GP. Operating room flash fire [letter]. *Anesth Analg* 1974 Mar-Apr;53(2):289-90.
522. Bruner JM. Operating room flash fire [letter]. *Anesth Analg* 1974 Mar-Apr;53(2):290-3.
523. Leonard PF. Operating room flash fire [letter]. *Anesth Analg* 1974 Mar-Apr;53(2):293-4.
524. Shah SC. Operating room flash fire [letter]. *Anesth Analg* 1974 Mar-Apr;53(2):288.
525. Schettler WH. Operating room flash fire [letter]. *Anesth Analg* 1974;53:288.

1973

526. Plumlee JE. Operating-room flash fire from use of cautery after aerosol spray: a case report. *Anesth Analg* 1973 Mar;52(2):202-3.
527. Vickers MD. Hazards in the operating theatre. Fires and explosions. *Ann R Coll Surg Engl* 1973 Jun;52(6):354-7.

1972

528. Dornette WH, Yuellig DP. Disposables and the combustible load in hospitals. *Fire J* 1972 Jul;66(7):27-30.
529. Follmar KE. Anesthetic gas fires are preventable. *Anesth Prog* 1972 Mar-Apr;19(2):38-9.
530. Gupte SR. Gauze fire in the oral cavity: a case report. *Anesth Analg* 1972 Jul-Aug;51(4):645-6.
531. Seminar on safety in the operating theatre. *Med J Aust* 1972 Mar 11;1(11):539-44.

1971

532. Cameron BG, Ingram GS. Flammability of drape materials in nitrous oxide and oxygen. *Anaesthesia* 1971 Jul;26(3):281-8.
533. Elkington A. Theatre fire. *Br Med J* 1971;2:769.
534. Johnson FS. Anesthetic gases--potential fire danger. *J South Calif Dent Assoc* 1971 Dec;39(12):941.

***A publication of ECRI Institute or by ECRI Institute staff.**

535. Weiss DI, Skalka H. Eye pad flammability. *Am J Ophthalmol* 1971 Jun;71(6):1334-5.

1970

536. Hussey JL, Pois AJ. Bowel-gas explosion. An unusual surgical complication. *Am J Surg* 1970 Jul;120(1):103-5.**
537. Magruder GB, Guber D. Fire prevention during surgery. *Arch Ophthalmol* 1970 Aug;84(2):237.
538. Taylor KW, Desmond J. Electrical hazards in the operating room, with special reference to electrosurgery. *Can J Surg* 1970 Oct;13(4):362-74.

1960-1969

539. Baumrucker GO. *TUR Transurethral prostatectomy: Technique, hazards, and pitfalls*. Baltimore: Williams & Wilkins Company; 1968. **
540. Boyd CH. A fire in the mouth. A hazard of the use of antistatic endotracheal tubes. *Anaesthesia* 1969 Jul;24(3):441-6.
541. Bullough J. Halothane and flames in the dental surgery: a warning. *Lancet* 1964 Apr 11; 1(7337):835.
542. Carroll KJ. Unusual explosion during electrosurger. *Br Med J*. 1964 Nov 7;2(5418):1178.**
543. Conn AW. Practical policy for non-explosive anaesthesia. *Can Anaesth Soc J* 1968 Jul;15(4):378-82.
545. Dille JR, Crane CR. The flammability of lip, face and hare preparations in the presence of 100 percent oxygen. REP 62-27. Rep Civ Aeromed Res Inst US. 1963 Nov:1-5.[cited 1 October, 2019.] Available from Internet: <http://www.peter2000.co.uk/aviation/misc/AM63-27.pdf>.
546. Durfee RL. The flammability of skin and hair in oxygen-enriched atmospheres. SAM-TR-68-130. Tech Rep SAM-TR. 1968 Dec;:1-34, [cited 15 Feb 2008]. Available from Internet: <http://www.dtic.mil/dtic/tr/fulltext/u2/688920.pdf>.
547. Galang BS. Control of fire and explosion hazards in operating rooms. *J Philipp Med Assoc* 1964 Oct;40:XIX-XX.
548. Litchfield EL, Kubala TA. Flammability of fabrics and other materials in oxygen-enriched atmospheres. *Fire Tech* 1969 (Nov);5(4):341-345.
549. Nicholson MJ, Crehan JP. Fire and explosion hazards in the operating room. *Anesth Analg* 1967 Jul-Aug;46(4):412-24.**
550. Plano RJ. Tests evaluate fire hazard of static sparks. *Modern Hosp* 1960;95:154-156.
551. Poppelbaum HF. Prevention of explosions and fires in using flammable inhallation anesthetics. *Dtsch Gesundheitsw* 1964 Feb 6;19:246-51. German.Rzepecki W, Lukaszczyk E, Orzel S. Causes of fires and

***A publication of ECRI Institute or by ECRI Institute staff.**

explosions in operation rooms in Poland in 1955-1965 (according to an inquiry). *Pol Tyg Lek* 1968 Nov 25;23(48):1837-40. Polish.

553. Wald A, Mazzia VD. Fire hazard in the operating room. *Anesthesiology* 1966 Nov-Dec;27(6):858.

1949-1959

554. Case Report; operating room fire. *Anesthesiology* 1956 Sep-Oct;17(5):751.

555. Dillon JB. Fires and explosions in anesthesia. *Radiology* 1955 Jul;65(1):108-10.

556. Levy EI. Explosions during lower bowel electrosurgery. *Am J Surg* 1954;88:754-8.**

557. Low WA. Fires and explosions connected with anaesthesia. *Proc R Soc Med* 1951 Mar;44(3):219-24.

558. Nicholson MJ, Orr RB. Fire and explosion hazards in the operating room. *Surg Clin North Am* 1957 Jun;37(3):783-801.

559. Phaneuf IA. Explosion and fire hazards in anaesthesia. *Manit Med Rev* 1949 Dec;29(12):649-52.

560. Thomas GJ. Fire and explosion hazards with flammable anesthetic agents and their control. *J Ky State Med Assoc* 1956 Jan;54(1):27-32.

561. Thomas GJ. Fire and explosion hazards in anesthetizing areas. *Ind Med Surg* 1951 Nov;20(11):509-12.

562. Wishart JM. Explosion hazards in anaesthesia. *Can Anaesth Soc J* 1957 Apr;4(2):143-6.

Recommended Practices, Advisories, Guidelines, and Standards

1. American Society of Anesthesiologists Task Force on Operating Room Fires, Caplan RA, Barker SJ, Connis RT, Cowles C, de Richemond AL, Ehrenwerth J, Nickinovich DG, Pritchard D, Roberson D, Wolf GL. Practice advisory for the prevention and management of operating room fires. *Anesthesiology* 2008; 108:786–801. [cited 2011 Feb 5]. Available from Internet:
<http://www.asahq.org/publicationsAndServices/~//media/For%20Members/Practice%20Management/PracticeParameters/PreventionManagementOperatingRoomFires.ashx>.
2. American National Standards Institute (ANSI): Safe use of lasers [standard]. ANSI Z136.1. 2000.
3. American National Standards Institute (ANSI): Safe use of lasers in health care facilities [standard]. ANSI Z136.3. 1996.
4. American Society for Testing and Materials (ASTM). Standard test method for determining laser resistance of the shaft of tracheal tubes. ASTM F1497-99a. 1999.
5. Anesthesia Patient Safety Foundation (APSF). Prevention and Management of Surgical Fires (video). APSF 2010 (April). [cited 9Feb, 2011]. Available from Internet: http://www.apsf.org/resources_video.php.
6. Association of Operating Room Nurses. Recommended practices for electrosurgery. *AORN J* 1998;67(1):246-

***A publication of ECRI Institute or by ECRI Institute staff.**

255.

7. Association of Operating Room Nurses. Recommended practices for laser safety in practice settings. *AORN J* 1998;67(1):263-269.
8. Department of the Army, Headquarters, United States Army Medical Command. Fires associated with the performance of surgical procedures. MEDCOM regulation No. 40-48. 2003, Aug 20 [cited 2005, Dec 6]. Available from Internet: <http://chppm-www.apgea.army.mil/IHMSM/ms/documents/MEDCOM%20Reg%2040-48%20Surgical%20Fires.pdf>.
9. Joint Commission on Accreditation of Healthcare Organizations (JCAHO). 2005 Ambulatory care national patient safety goals. July 2004 (accessed 15 Feb 2008). Available from Internet: http://www.jointcommission.org/PatientSafety/NationalPatientSafetyGoals/05_amb_npsgs.htm
10. Joint Commission on Accreditation of Healthcare Organizations (JCAHO). 2006 Ambulatory care and office-based surgery national patient safety goals. May 2005 (accessed 15 Feb 2008). Available from Internet: http://www.jointcommission.org/PatientSafety/NationalPatientSafetyGoals/06_npsg_amb.htm
11. National Fire Protection Association: NFPA 115: recommended practice on laser fire protection. Quincy, Massachusetts, National Fire Protection Association (NFPA), 1999.
12. National Fire Protection Association: NFPA 53: recommended practice on materials, equipment, and systems used in oxygen-enriched atmospheres. Quincy, Massachusetts, National Fire Protection Association (NFPA), 1999.
13. National Fire Protection Association: NFPA 921: guide for fire and explosion investigations. Quincy, Massachusetts, National Fire Protection Association (NFPA), 1998.
14. National Fire Protection Association: NFPA 10: portable fire extinguishers [standard]. Quincy, Massachusetts, National Fire Protection Association (NFPA), 1997.
15. National Fire Protection Association: NFPA 99: standard for health care facilities. Quincy, Massachusetts, National Fire Protection Association (NFPA), 2005.
16. National Guideline Clearinghouse. A clinician's guide to surgical fires: how they occur, how to prevent them, how to put them out. 2003 [cited 2005, Dec 6]. Available at http://www.guideline.gov/summary/summary.aspx?doc_id=3688&nbr=2914. *
17. National Guideline Clearinghouse. Evidence-based patient safety advisory: patient assessment and prevention of pulmonary side effects in surgery. Part 2 - patient and procedural risk factors. 2009 [cited 2012, Feb 28]. Available from Internet: <http://www.guideline.gov/content.aspx?id=15332>.

***A publication of ECRI Institute or by ECRI Institute staff.**